Bibliography

The references are sorted alphabetically by the abbreviations (rather than by the authors' names).

[AA92] P. K. Agarwal and B. Aronov. Counting facets and incidences. *Discrete Comput. Geom.*, 7:359–369, 1992. (refs: pp. 46, 47)

[AACS98] P. K. Agarwal, B. Aronov, T. M. Chan, and M. Sharir. On levels in arrangements of lines, segments, planes, and triangles. *Discrete Comput. Geom.*, 19(3):315–331, 1998. (refs: pp. 273, 274, 275, 290, 291)

[AAHP+98] A. Andrzejak, B. Aronov, S. Har-Peled, R. Seidel, and E. Welzl. Results on k-sets and j-facets via continuous motion arguments. In *Proc. 14th Annu. ACM Sympos. Comput. Geom.*, pages 192–199, 1998. (refs: pp. 273, 274, 290)

[AAP+97] P. K. Agarwal, B. Aronov, J. Pach, R. Pollack, and M. Sharir. Quasi-planar graphs have a linear number of edges. *Combinatorica*, 17:1–9, 1997. (ref: p. 177)

[AAS01] P. K. Agarwal, B. Aronov, and M. Sharir. On the complexity of many faces in arrangements of circles. In *Proc. 42nd IEEE Symposium on Foundations of Computer Science*, 2001. (refs: pp. 47, 70)

[ABFK92] N. Alon, I. Bárány, Z. Füredi, and D. Kleitman. Point selections and weak ε-nets for convex hulls. *Combin., Probab. Comput.*, 1(3):189–200, 1992. (refs: pp. 217, 258, 274)

[ABS97] D. Avis, D. Bremner, and R. Seidel. How good are convex hull algorithms? *Comput. Geom. Theory Appl.*, 7:265–302, 1997. (ref: p. 106)

[ABV98] J. Arias-de-Reyna, K. Ball, and R. Villa. Concentration of the distance in finite dimensional normed spaces. *Mathematika*, 45:245–252, 1998. (ref: p. 338)

[ACE+91] B. Aronov, B. Chazelle, H. Edelsbrunner, L. J. Guibas, M. Sharir, and R. Wenger. Points and triangles in the plane and halving planes in space. *Discrete Comput. Geom.*, 6:435–442, 1991. (refs: pp. 217, 274)

[Ach01] D. Achlioptas. Database-friendly random projections. In *Proc. 20th ACM SIGACT-SIGMOD-SIGART Symposium on Principles of Database Systems*, pages 274–281, 2001. (ref: p. 367)

[ACNS82] M. Ajtai, V. Chvátal, M. Newborn, and E. Szemerédi. Crossing-free subgraphs. *Ann. Discrete Math.*, 12:9–12, 1982. (ref: p. 56)

[AEG+94] B. Aronov, P. Erdős, W. Goddard, D. J. Kleitman, M. Klugerman, J. Pach, and L. J. Schulman. Crossing families. *Combinatorica*, 14:127–134, 1994. (ref: p. 177)

[AEGS92] B. Aronov, H. Edelsbrunner, L. Guibas, and M. Sharir. The number of edges of many faces in a line segment arrangement. *Combinatorica*, 12(3):261–274, 1992. (ref: p. 47)

[AF92] D. Avis and K. Fukuda. A pivoting algorithm for convex hulls and vertex enumeration of arrangements and polyhedra. *Discrete Comput. Geom.*, 8:295–313, 1992. (ref: p. 106)

[AF00] N. Alon and E. Friedgut. On the number of permutations avoiding a given pattern. *J. Combin. Theory, Ser. A*, 81:133–140, 2000. (ref: p. 177)

[AFH+00] H. Alt, S. Felsner, F. Hurtado, M. Noy, and E. Welzl. A class of point-sets with few k-sets. *Comput. Geom. Theor. Appl.*, 16:95–101, 2000. (ref: p. 274)

[AFR85] N. Alon, P. Frankl, and V. Rödl. Geometrical realization of set systems and probabilistic communication complexity. In *Proc. 26th IEEE Symposium on Foundations of Computer Science*, pages 277–280, 1985. (ref: p. 140)

[AG86] N. Alon and E. Győri. The number of small semispaces of a finite set of points in the plane. *J. Combin. Theory Ser. A*, 41:154–157, 1986. (ref: p. 145)

[AGHV01] P. K. Agarwal, L. J. Guibas, J. Hershberger, and E. Veach. Maintaining the extent of a moving point set. *Discrete Comput. Geom.*, 26:353–374, 2001. (ref: p. 195)

[AH00] R. Aharoni and P. E. Haxell. Hall's theorem for hypergraphs. *J. Graph Theory*, 35:83–88, 2000. (ref: p. 239)

[Aha01] R. Aharoni. Ryser's conjecture for tri-partite hypergraphs. *Combinatorica*, 21:1–4, 2001. (ref: p. 239)

[AHK04] S. Arora, E. Hazan, and S. Kale. $O(\sqrt{\log n})$ approximation to SPARSEST CUT in $O(n^2)$ time. In *Proc. 45th IEEE Symposium on Foundations of Computer Science*, pages 238–247, 2004. (ref: p. 420)

[AHL02] N. Alon, S. Hoory, and N. Linial. The Moore bound for irregular graphs. *Graphs and Combinatorics*, 18(1):53–57, 2002. (ref: p. 373)

[AI88] F. Aurenhammer and H. Imai. Geometric relations among Voronoi diagrams. *Geom. Dedicata*, 27:65–75, 1988. (ref: p. 121)

[Ajt98] M. Ajtai. Worst-case complexity, average-case complexity and lattice problems. *Documenta Math. J. DMV*, Extra volume ICM 1998, vol. III:421–428, 1998. (ref: p. 27)

[AK85] N. Alon and G. Kalai. A simple proof of the upper bound theorem. *European J. Combin.*, 6:211–214, 1985. (ref: p. 103)

[AK92] N. Alon and D. Kleitman. Piercing convex sets and the Hadwiger Debrunner (p, q)-problem. *Adv. Math.*, 96(1):103–112, 1992. (ref: p. 262)

[AK95] N. Alon and G. Kalai. Bounding the piercing number. *Discrete Comput. Geom.*, 13:245–256, 1995. (ref: p. 265)

[AK00] F. Aurenhammer and R. Klein. Voronoi diagrams. In J.-R. Sack and J. Urrutia, editors, *Handbook of Computational Geometry*, pages 201–290. Elsevier Science Publishers B.V. North-Holland, Amsterdam, 2000. (refs: pp. 120, 121)

[AKMM02] N. Alon, G. Kalai, J. Matoušek, and R. Meshulam. Transversal numbers for hypergraphs arising in geometry. *Adv. Appl. Math.*, 130:2509–2514, 2002. (ref: p. 266)

[AKP89] N. Alon, M. Katchalski, and W. R. Pulleyblank. The maximum size of a convex polygon in a restricted set of points in the plane. *Discrete Comput. Geom.*, 4:245–251, 1989. (ref: p. 33)

[AKPW95] N. Alon, R. M. Karp, D. Peleg, and D. West. A graph-theoretic game and its application to the k-server problem. *SIAM J. Computing*, 24(1):78–100, 1995. (refs: pp. 412, 413)

[AKV92] R. Adamec, M. Klazar, and P. Valtr. Generalized Davenport–Schinzel sequences with linear upper bound. *Discrete Math.*, 108:219–229, 1992. (ref: p. 176)

[ALN05] S. Arora, J. R. Lee, and A. Naor. Euclidean distortion and the sparsest cut. Manuscript, 2005. (refs: pp. 417, 421, 422, 423)

[ALN+06] S. Arora, L. Lovász, I. Newman, Y. Rabani, Yu. Rabinovich, and S. Vempala. Local versus global properties of metric spaces. In *Proc. 17th ACM-SIAM Sympos. Discrete Algorithms*, 2006. (ref: p. 423)

[Alo86a] N. Alon. Eigenvalues and expanders. *Combinatorica*, 6:83–96, 1986. (ref: p. 387)

[Alo86b] N. Alon. The number of polytopes, configurations, and real matroids. *Mathematika*, 33:62–71, 1986. (refs: pp. 136, 140)

[Alo98] N. Alon. Piercing d-intervals. *Discrete Comput. Geom.*, 19:333–334, 1998. (ref: p. 266)

[Alo02] N. Alon. Covering a hypergraph of subgraphs. *Discrete Math.*, 257:249–254, 2002. (ref: p. 266)

[ALPS01] N. Alon, H. Last, R. Pinchasi, and M. Sharir. On the complexity of arrangements of circles in the plane. *Discrete Comput. Geom.*, 26:465–492, 2001. (ref: p. 275)

[AM85] N. Alon and V. D. Milman. λ_1, isoperimetric inequalities for graphs, and superconcentrators. *J. Combinatorial Theory, Ser. B*, 38(1):73–88, 1985. (ref: p. 387)

[Ame96] N. Amenta. A short proof of an interesting Helly-type theorem. *Discrete Comput. Geom.*, 15:423–427, 1996. (ref: p. 265)

[AMS94] B. Aronov, J. Matoušek, and M. Sharir. On the sum of squares of cell complexities in hyperplane arrangements. *J. Combin. Theory Ser. A*, 65:311–321, 1994. (refs: pp. 47, 152)

[AMS98] P. K. Agarwal, J. Matoušek, and O. Schwarzkopf. Computing many faces in arrangements of lines and segments. *SIAM J. Comput.*, 27(2):491–505, 1998. (ref: p. 163)

[APS93] B. Aronov, M. Pellegrini, and M. Sharir. On the zone of a surface in a hyperplane arrangement. *Discrete Comput. Geom.*, 9(2):177–186, 1993. (ref: p. 151)

[APST03] B. Aronov, J. Pach, M. Sharir, and G. Tardos. Distinct distances in three and higher dimensions. In *Proc. Proceedings 35th ACM Symposium on Theory of Computing*, pages 541 – 546, 2003. (ref: p. 45)

[AR92] J. Arias-de-Reyna and L. Rodríguez-Piazza. Finite metric spaces needing high dimension for Lipschitz embeddings in Banach spaces. *Israel J. Math.*, 79:103–113, 1992. (ref: p. 373)

[AR98] Y. Aumann and Y. Rabani. An $O(\log k)$ approximate min-cut max-flow theorem and approximation algorithm. *SIAM J. Comput.*, 27(1):291–301, 1998. (ref: p. 406)

[Aro02] B. Aronov. A lower bound on Voronoi diagram complexity. *Inf. Process. Lett.*, 83:183–185, 2002. (refs: pp. 123, 193)

[ARS99] N. Alon, L. Rónyai, and T. Szabó. Norm-graphs: variations and applications. *J. Combin. Theory Ser. B*, 76:280–290, 1999. (ref: p. 68)

[ARV04] S. Arora, S. Rao, and U. Vazirani. Expander flows, geometric embeddings and graph partitioning. In *Proc. 36th ACM Symposium on Theory of Computing*, pages 222–231, 2004. (refs: pp. 419, 420, 421)

[AS94] B. Aronov and M. Sharir. Castles in the air revisited. *Discrete Comput. Geom.*, 12:119–150, 1994. (ref: p. 193)

[AS00a] P. K. Agarwal and M. Sharir. Arrangements and their applications. In J.-R. Sack and J. Urrutia, editors, *Handbook of Computational Geometry*, pages 49–119. North-Holland, Amsterdam, 2000. (refs: pp. 47, 128, 145, 168, 192)

[AS00b] P. K. Agarwal and M. Sharir. Davenport–Schinzel sequences and their geometric applications. In J.-R. Sack and J. Urrutia, editors, *Handbook of Computational Geometry*, pages 1–47. North-Holland, Amsterdam, 2000. (ref: p. 168)

[AS00c] P. K. Agarwal and M. Sharir. Pipes, cigars, and kreplach: The union of Minkowski sums in three dimensions. *Discrete Comput. Geom.*, pages 645–685, 2000. (ref: p. 195)

[AS00d] N. Alon and J. Spencer. *The Probabilistic Method (2nd edition)*. J. Wiley and Sons, New York, NY, 2000. First edition 1993. (refs: pp. 342, 346)

[AS02] B. Aronov and M. Sharir. Cutting circles into pseudo-segments and improved bounds for incidences. *Discrete Comput. Geom.*, 28(4):475–490, 2002. (refs: pp. 44, 46, 69, 70, 275)

[Ass83a] P. Assouad. Density and dimension (in French). *Ann. Inst. Fourier (Grenoble)*, 33:233–282, 1983. (ref: p. 254)

[Ass83b] P. Assouad. Lipschitz embeddings into R^n (in French). *Bull. Soc. Math. Fr.*, 111:429–448, 1983. (ref: p. 423)

[ASS89] P. K. Agarwal, M. Sharir, and P. Shor. Sharp upper and lower bounds on the length of general Davenport–Schinzel sequences. *J. Combin. Theory Ser. A*, 52(2):228–274, 1989. (ref: p. 176)

[ASS96] P. K. Agarwal, M. Sharir, and O. Schwarzkopf. The overlay of lower envelopes and its applications. *Discrete Comput. Geom.*, 15:1–13, 1996. (ref: p. 193)

[AST97] B. Aronov, M. Sharir, and B. Tagansky. The union of convex polyhedra in three dimensions. *SIAM J. Comput.*, 26:1670–1688, 1997. (ref: p. 195)

[Aur91] F. Aurenhammer. Voronoi diagrams: A survey of a fundamental geometric data structure. *ACM Comput. Surv.*, 23(3):345–405, September 1991. (ref: p. 120)

[Avi93] D. Avis. The m-core properly contains the m-divisible points in space. *Pattern Recognit. Lett.*, 14(9):703–705, 1993. (ref: p. 207)

[Bal90] K. Ball. Isometric embedding in ℓ_p-spaces. *European J. Combin.*, 11(4):305–311, 1990. (ref: p. 389)

[Bal92] K. Ball. Markov chains, Riesz transforms and Lipschitz maps. *Geom. Funct. Anal.*, 2(2):137–172, 1992. (ref: p. 386)

[Bal97] K. Ball. An elementary introduction to modern convex geometry. In S. Levi, editor, *Flavors of Geometry (MSRI Publications vol. 31)*, pages 1–58. Cambridge University Press, Cambridge, 1997. (refs: pp. viii, 306, 321, 333, 342, 343, 352)

[Bal01] K. Ball. Convex geometry and functional analysis. In W. B. Johnson and J. Lindenstrauss, editors, *Handbook of Banach Spaces, Vol. 1*, pages 161–194. North-Holland, Amsterdam, 2001. (refs: pp. 320, 326, 343)

[Bár82] I. Bárány. A generalization of Carathéodory's theorem. *Discrete Math.*, 40:141–152, 1982. (refs: pp. 200, 201, 212)

[Bár89] I. Bárány. Intrinsic volumes and f-vectors of random polytopes. *Math. Ann.*, 285(4):671–699, 1989. (ref: p. 99)

[Bar96] Y. Bartal. Probabilistic approximation of metric spaces and its algorithmic applications. In *Proc. 37th IEEE Symposium on Foundations of Computer Science*, pages 184–193, 1996. (refs: pp. 412, 413)

[Bar97] A. I. Barvinok. Lattice points and lattice polytopes. In J. E. Goodman and J. O'Rourke, editors, *Handbook of Discrete and Computational Geometry*, chapter 7, pages 133–152. CRC Press LLC, Boca Raton, FL, 1997. (refs: pp. 24, 300)

[Bas98] S. Basu. On the combinatorial and topological complexity of a single cell. In *Proc. 39th IEEE Symposium on Foundations of Computer Science*, pages 606–616, 1998. (ref: p. 193)

[BBM01] Y. Bartal, B. Bollobás, and M. Mendel. Ramsey-type theorems for metric spaces with applications to online problems. In *Proc. 42nd IEEE Symposiom on Foundations of Computer Science*, pages 396–405, 2001. (refs: pp. 413, 424)

[BC03] B. Brinkman and M. Charikar. On the impossibility of dimension reduction in ℓ_1. In *Proc. 44th IEEE Symposium on Foundations of Computer Science*, pages 514–523, 2003. (ref: p. 417)

[BCM99] H. Brönnimann, B. Chazelle, and J. Matoušek. Product range spaces, sensitive sampling, and derandomization. *SIAM J. Comput.*, 28:1552–1575, 1999. (ref: p. 106)

[BCR98] J. Bochnak, M. Coste, and M.-F. Roy. *Real Algebraic Geometry.* Springer, Berlin etc., 1998. Transl. from the French, revised and updated edition. (refs: pp. 135, 192)

[BD93] D. Bienstock and N. Dean. Bounds for rectilinear crossing numbers. *J. Graph Theory*, 17(3):333–348, 1993. (ref: p. 58)

[BDV91] A. Bialostocki, P. Dierker, and B. Voxman. Some notes on the Erdős–Szekeres theorem. *Discrete Math.*, 91(3):231–238, 1991. (ref: p. 39)

[Bec83] J. Beck. On the lattice property of the plane and some problems of Dirac, Motzkin and Erdős in combinatorial geometry. *Combinatorica*, 3(3–4):281–297, 1983. (refs: pp. 45, 50)

[Ben66] C. T. Benson. Minimal regular graphs of girth eight and twelve. *Canad. J. Math.*, 18:1091–1094, 1966. (ref: p. 373)

[BEPY91] M. Bern, D. Eppstein, P. Plassman, and F. Yao. Horizon theorems for lines and polygons. In J. Goodman, R. Pollack, and W. Steiger, editors, *Discrete and Computational Geometry: Papers from the DIMACS Special Year*, volume 6 of *DIMACS Series in Discrete Mathematics and Theoretical Computer Science*, pages 45–66. American Mathematical Society, Association for Computing Machinery, Providence, RI, 1991. (ref: p. 151)

[Ber61] C. Berge. Färbungen von Graphen, deren sämtliche bzw. deren ungerade Kreise starr sind (Zusammenfassung). *Wissentschaftliche Zeitschrift, Martin Luther Universität Halle-Wittenberg, Math.-Naturwiss. Reihe*, pages 114–115, 1961. (ref: p. 299)

[Ber62] C. Berge. Sur une conjecture relative au problème des codes optimaux. Communication, 13ème assemblée générale de l'URSI, Tokyo, 1962. (ref: p. 299)

[BF84] E. Boros and Z. Füredi. The number of triangles covering the center of an n-set. *Geom. Dedicata*, 17:69–77, 1984. (ref: p. 212)

[BF87] I. Bárány and Z. Füredi. Computing the volume is difficult. *Discrete Comput. Geom.*, 2:319–326, 1987. (refs: pp. 326, 328, 330)

[BF88] I. Bárány and Z. Füredi. Approximation of the sphere by polytopes having few vertices. *Proc. Amer. Math. Soc.*, 102(3):651–659, 1988. (ref: p. 326)

[BFL90] I. Bárány, Z. Füredi, and L. Lovász. On the number of halving planes. *Combinatorica*, 10:175–183, 1990. (refs: pp. 207, 217, 233, 273, 274, 284)

[BFM86] J. Bourgain, T. Figiel, and V. Milman. On Hilbertian subsets of finite metric spaces. *Israel J. Math.*, 55:147–152, 1986. (refs: pp. 379, 424)

[BFT95] G. R. Brightwell, S. Felsner, and W. T. Trotter. Balancing pairs and the cross product conjecture. *Order*, 12(4):327–349, 1995. (ref: p. 314)

[BGK$^+$99] A. Brieden, P. Gritzmann, R. Kannan, V. Klee, L. Lovász, and M. Simonovits. Deterministic and randomized polynomial-time approximation of radii. 1999. To appear in *Mathematika*. Preliminary version in *Proc. 39th IEEE Symposium on Foundations of Computer Science*, 1998, pages 244–251. (refs: pp. 328, 340)

[BH93] U. Betke and M. Henk. Approximating the volume of convex bodies. *Discrete Comput. Geom.*, 10:15–21, 1993. (ref: p. 327)

[Big93] N. Biggs. *Algebraic Graph Theory*. Cambridge Univ. Press, Cambridge, 1993. 2nd edition. (refs: pp. 373, 387)

[BK63] W. Bonnice and V. L. Klee. The generation of convex hulls. *Math. Ann.*, 152:1–29, 1963. (ref: p. 8)

[BK00] A. Brieden and M. Kochol. A note on cutting planes, volume approximation and Mahler's conjecture. Manuscript, TU München, 2000. (ref: p. 330)

[BL81] L. J. Billera and C. W. Lee. A proof of the suffiency of McMullen's conditions for f-vectors of simplicial polytopes. *J. Combin. Theory Ser. A*, 31(3):237–255, 1981. (ref: p. 105)

[BL92] I. Bárány and D. Larman. A colored version of Tverberg's theorem. *J. London Math. Soc. II. Ser.*, 45:314–320, 1992. (ref: p. 207)

[BL99] Y. Benyamini and J. Lindenstrauss. *Nonlinear Functional Analysis, Vol. I, Colloquium Publications 48.* American Mathematical Society (AMS), Providence, RI, 1999. (refs: pp. 342, 358, 364)

[BLM89] J. Bourgain, J. Lindenstrauss, and V. Milman. Approximation of zonoids by zonotopes. *Acta Math.*, 162:73–141, 1989. (ref: p. 326)

[BLMN03] Y. Bartal, N. Linial, M. Mendel, and A. Naor. On metric Ramsey-type phenomena. In *Proc. 35th Annual ACM Symposium on Theory of Computing*, 2003. Also to appear in *Annals of Mathematics.* (ref: p. 424)

[BLPS99] W. Banaszczyk, A. E. Litvak, A. Pajor, and S. J. Szarek. The flatness theorem for nonsymmetric convex bodies via the local theory of Banach spaces. *Math. Oper. Res.*, 24(3):728–750, 1999. (ref: p. 24)

[BLŽV94] A. Björner, L. Lovász, R. Živaljević, and S. Vrećica. Chessboard complexes and matching complexes. *J. London Math. Soc.*, 49:25–39, 1994. (ref: p. 207)

[BMMV02] R. Babilon, J. Matoušek, J. Maxová, and P. Valtr. Low-distortion embeddings of trees. In *Proc. Graph Drawing 2001 (Lecture Notes in Computer Science 2265).* Springer, Berlin etc., 2002. (ref: p. 407)

[BMT95] C. Buchta, J. Müller, and R. F. Tichy. Stochastical approximation of convex bodies. *Math. Ann.*, 271:225–235, 1895. (ref: p. 330)

[BO83] M. Ben-Or. Lower bounds for algebraic computation trees. In *Proc. 15th Annu. ACM Sympos. Theory Comput.*, pages 80–86, 1983. (ref: p. 135)

[BO97] I. Bárány and S. Onn. Colourful linear programming and its relatives. *Math. Oper. Res.*, 22:550–567, 1997. (refs: pp. 201, 206)

[Bol85] B. Bollobás. *Random Graphs.* Academic Press (Harcourt Brace Jovanovich, Publishers), London-Orlando etc., 1985. (ref: p. 372)

[Bol87] B. Bollobás. Martingales, isoperimetric inequalities and random graphs. In *52. Combinatorics, Eger (Hungary), Colloq. Math. Soc. J. Bolyai*, pages 113–139. Math. Soc. J. Bolyai, Budapest, 1987. (refs: pp. 342, 346)

[Bor75] C. Borell. The Brunn–Minkowski inequality in Gauss space. *Invent. Math.*, 30(2):207–216, 1975. (ref: p. 342)

[BOR99] A. Borodin, R. Ostrovsky, and Y. Rabani. Subquadratic approximation algorithms for clustering problems in high dimensional spaces. In *Proc. 31st Annual ACM Symposium on Theory of Computing*, pages 435–444, 1999. (ref: p. 367)

[Bou85] J. Bourgain. On Lipschitz embedding of finite metric spaces in Hilbert space. *Israel J. Math.*, 52:46–52, 1985. (refs: pp. 373, 402, 406)

[Bou86] J. Bourgain. The metrical interpretation of superreflexivity in Banach spaces. *Israel J. Math.*, 56:222–230, 1986. (ref: p. 406)

[BP90] K. Ball and A. Pajor. Convex bodies with few faces. *Proc. Amer. Math. Soc.*, 110(1):225–231, 1990. (ref: p. 326)

[BP99] A. Barvinok and J. E. Pommersheim. An algorithmic theory of lattice points in polyhedra. In Billera, Louis J. (ed.) et al., *New perspectives in algebraic combinatorics*, pages 91–147. Cambridge University Press, Cambridge, 1999. (ref: p. 24)

[BPR96] S. Basu, R. Pollack, and M.-F. Roy. On the number of cells defined by a family of polynomials on a variety. *Mathematika*, 43:120–126, 1996. (ref: p. 136)

[BPR03] S. Basu, R. Pollack, and M.-F. Roy. *Algorithms in real algebraic geometry.* Algorithms and Computation in Mathematics 10. Springer, Berlin, 2003. (ref: p. 135)

[Bre93] G. Bredon. *Topology and Geometry (Graduate Texts in Mathematics 139).* Springer-Verlag, Berlin etc., 1993. (ref: p. 4)

[Bro66] W. G. Brown. On graphs that do not contain a Thomsen graph. *Canad. Math. Bull.*, 9:281–285, 1966. (ref: p. 68)

[Brø83] A. Brønsted. *An Introduction to Convex Polytopes.* Springer-Verlag, New York, NY, 1983. (ref: p. 85)

[BS89] J. Bokowski and B. Sturmfels. *Computational Synthetic Geometry.* Lect. Notes in Math. 1355. Springer-Verlag, Heidelberg, 1989. (ref: p. 138)

[BSTY98] J.-D. Boissonnat, M. Sharir, B. Tagansky, and M. Yvinec. Voronoi diagrams in higher dimensions under certain polyhedral distance functions. *Discrete Comput. Geom.*, 19(4):473–484, 1998. (ref: p. 195)

[BT89] T. Bisztriczky and G. Fejes Tóth. A generalization of the Erdős–Szekeres convex n-gon theorem. *J. Reine Angew. Math.*, 395:167–170, 1989. (ref: p. 33)

[BV82] E. O. Buchman and F. A. Valentine. Any new Helly numbers? *Amer. Math. Mon.*, 89:370–375, 1982. (ref: p. 13)

[BV98] I. Bárány and P. Valtr. A positive fraction Erdős–Szekeres theorem. *Discrete Comput. Geom*, 19:335–342, 1998. (ref: p. 222)

[BVS+99] A. Björner, M. Las Vergnas, B. Sturmfels, N. White, and G. M. Ziegler. *Oriented Matroids (2nd edition).* Encyclopedia of Mathematics 46. Cambridge University Press, Cambridge, 1999. (refs: pp. 100, 138, 139, 224)

[BW03] A. Barvinok and K. Woods. Short rational generating functions for lattice point problems. *J. Am. Math. Soc.*, 16:957–979, 2003. (ref: p. 25)

[Can69] R. Canham. A theorem on arrangements of lines in the plane. *Israel J. Math.*, 7:393–397, 1969. (ref: p. 46)

[Car07] C. Carathéodory. Über den Variabilitätsbereich der Koeffizienten von Potenzreihen, die gegebene Werte nicht annehmen. *Math. Ann.*, 64:95–115, 1907. (refs: pp. 8, 98)

[Car85] B. Carl. Inequalities of Bernstein–Jackson-type and the degree of compactness of operators in Banach spaces. *Ann. Inst. Fourier*, 35(3):79–118, 1985. (ref: p. 326)

[Cas59] J. Cassels. *An Introduction to the Geometry of Numbers.* Springer-Verlag, Heidelberg, 1959. (ref: p. 20)

[CCPS98] W. J. Cook, W. H. Cunningham, W. R. Pulleyblank, and A. Schrijver. *Combinatorial Optimization.* Wiley, New York, NY, 1998. (ref: p. 300)

[CEG+90] K. Clarkson, H. Edelsbrunner, L. Guibas, M. Sharir, and E. Welzl. Combinatorial complexity bounds for arrangements of curves and spheres. *Discrete Comput. Geom.*, 5:99–160, 1990. (refs: pp. 44, 45, 46, 47, 68, 153)

[CEG+93] B. Chazelle, H. Edelsbrunner, L. Guibas, M. Sharir, and J. Snoeyink. Computing a face in an arrangement of line segments and related problems. *SIAM J. Comput.*, 22:1286–1302, 1993. (ref: p. 163)

[CEG+94] B. Chazelle, H. Edelsbrunner, L. Guibas, J. Hershberger, R. Seidel, and M. Sharir. Selecting heavily covered points. *SIAM J. Comput.*, 23:1138–1151, 1994. (ref: p. 217)

[CEG+95] B. Chazelle, H. Edelsbrunner, M. Grigni, L. Guibas, M. Sharir, and E. Welzl. Improved bounds on weak ϵ-nets for convex sets. *Discrete Comput. Geom.*, 13:1–15, 1995. (ref: p. 258)

[CEGS89] B. Chazelle, H. Edelsbrunner, L. Guibas, and M. Sharir. A singly-exponential stratification scheme for real semi-algebraic varieties and its applications. In *Proc. 16th Internat. Colloq. Automata Lang. Program.*, volume 372 of *Lecture Notes Comput. Sci.*, pages 179–192. Springer-Verlag, Berlin etc., 1989. (ref: p. 163)

[CEM+96] K. L. Clarkson, D. Eppstein, G. L. Miller, C. Sturtivant, and S.-H. Teng. Approximating center points with iterative Radon points. *Internat. J. Comput. Geom. Appl.*, 6:357–377, 1996. (ref: p. 16)

[CF90] B. Chazelle and J. Friedman. A deterministic view of random sampling and its use in geometry. *Combinatorica*, 10(3):229–249, 1990. (refs: pp. 68, 162)

[CGL85] B. Chazelle, L. J. Guibas, and D. T. Lee. The power of geometric duality. *BIT*, 25:76–90, 1985. (ref: p. 151)

[CGN+03] C. Chekuri, A. Gupta, I. Newman, Yu. Rabinovich, and A. Sinclair. Embedding k-outerplanar graphs into l_1. In *Proc. 14th ACM-SIAM Sympos. Discrete Algorithms*, 2003. (ref: p. 410)

[CGR05] S. Chawla, A. Gupta, and H. Räcke. Embeddings of negative-type metrics and an improved approximation to generalized sparsest cut. In *Proc. 16th ACM-SIAM Sympos. Discrete Algorithms*, 2005. (refs: pp. 420, 422)

[Cha93a] B. Chazelle. Cutting hyperplanes for divide-and-conquer. *Discrete Comput. Geom.*, 9(2):145–158, 1993. (refs: pp. 69, 163)

[Cha93b] B. Chazelle. An optimal convex hull algorithm in any fixed dimension. *Discrete Comput. Geom.*, 10:377–409, 1993. (ref: p. 106)

[Cha00a] T. M. Chan. On levels in arrangements of curves. In *Proc. 41st IEEE Symposium on Foundations of Computer Science*, pages 219–227, 2000. (refs: pp. 141, 275)

[Cha00b] T. M. Chan. Random sampling, halfspace range reporting, and construction of ($\leq k$)-levels in three dimensions. *SIAM J. Comput.*, 30(2):561–575, 2000. (ref: p. 106)

[Cha00c] B. Chazelle. *The Discrepancy Method.* Cambridge University Press, Cambridge, 2000. (ref: p. 163)

[Chu84] F. R. K. Chung. The number of different distances determined by n points in the plane. *J. Combin. Theory Ser. A*, 36:342–354, 1984. (ref: p. 45)

[Chu97] F. Chung. *Spectral Graph Theory.* Regional Conference Series in Mathematics 92. Amer. Math. Soc., Providence, 1997. (ref: p. 387)

[CK05] M. Charikar and A. Karagiozova. A tight threshold for metric Ramsey phenomena,. In *Proc. 16th ACM-SIAM Sympos. Discrete Algorithms*, pages 129–136, 2005. (ref: p. 424)

[CKS+98] L. P. Chew, K. Kedem, M. Sharir, B. Tagansky, and E. Welzl. Voronoi diagrams of lines in 3-space under polyhedral convex distance functions. *J. Algorithms*, 29(2):238–255, 1998. (ref: p. 193)

[Cla87] K. L. Clarkson. New applications of random sampling in computational geometry. *Discrete Comput. Geom.*, 2:195–222, 1987. (refs: pp. 68, 72)

[Cla88a] K. L. Clarkson. Applications of random sampling in computational geometry, II. In *Proc. 4th Annu. ACM Sympos. Comput. Geom.*, pages 1–11, 1988. (refs: pp. 145, 162)

[Cla88b] K. L. Clarkson. A randomized algorithm for closest-point queries. *SIAM J. Comput.*, 17:830–847, 1988. (ref: p. 162)

[Cla93] K. L. Clarkson. A bound on local minima of arrangements that implies the upper bound theorem. *Discrete Comput. Geom.*, 10:427–433, 1993. (refs: pp. 104, 284)

[CLO92] D. Cox, J. Little, and D. O'Shea. *Ideals, Varieties, and Algorithms.* Springer-Verlag, New York, NY, 1992. (ref: p. 135)

[CP88] B. Carl and A. Pajor. Gelfand numbers of operators with values in a Hilbert space. *Invent. Math.*, 94:479–504, 1988. (refs: pp. 326, 330)

[CRPR03] M. Chudnovsky, N. Robertson, P.D.Seymour, and R.Thomas. Manuscript, 2003. (ref: p. 299)

[CRVW02] M. Capalbo, O. Reingold, S. Vadhan, and A. Wigderson. Randomness conductors and constant-degree lossless expanders. In *Proc. 34th Annu. ACM Symposium on Theory of Computing*, pages 659 – 668, 2002. (ref: p. 389)

[CS89] K. L. Clarkson and P. W. Shor. Applications of random sampling in computational geometry, II. *Discrete Comput. Geom.*, 4:387–421, 1989. (refs: pp. 68, 106, 145, 162)

[CS99] J. H. Conway and N. J. A. Sloane. *Sphere Packings, Lattices and Groups (3rd edition).* Grundlehren der Mathematischen Wissenschaften 290. Springer-Verlag, New York etc., 1999. (ref: p. 24)

[CST92] F. R. K. Chung, E. Szemerédi, and W. T. Trotter. The number of different distances determined by a set of points in the Euclidean plane. *Discrete Comput. Geom.*, 7:1–11, 1992. (ref: p. 45)

[Dan63] G. B. Dantzig. *Linear Programming and Extensions.* Princeton University Press, Princeton, NJ, 1963. (ref: p. 93)

[Dan86] L. Danzer. On the solution of the problem of Gallai about circular discs in the Euclidean plane (in German). *Stud. Sci. Math. Hung.*, 21:111–134, 1986. (ref: p. 239)

[dBvKOS97] M. de Berg, M. van Kreveld, M. Overmars, and O. Schwarzkopf. *Computational Geometry: Algorithms and Applications.* Springer-Verlag, Berlin, 1997. (refs: pp. 116, 122, 163)

[DE94] T. K. Dey and H. Edelsbrunner. Counting triangle crossings and halving planes. *Discrete Comput. Geom.*, 12:281–289, 1994. (ref: p. 274)

[Del34] B. Delaunay. Sur la sphère vide. A la memoire de Georges Voronoi. *Izv. Akad. Nauk SSSR, Otdelenie Matematicheskih i Estestvennyh Nauk*, 7:793–800, 1934. (ref: p. 120)

[Dey98] T. K. Dey. Improved bounds on planar k-sets and related problems. *Discrete Comput. Geom.*, 19:373–382, 1998. (refs: pp. 273, 274, 290)

[DFK91] M. E. Dyer, A. Frieze, and R. Kannan. A random polynomial time algorithm for approximating the volume of convex bodies. *J. ACM*, 38:1–17, 1991. (ref: p. 327)

[dFPP90] H. de Fraysseix, J. Pach, and R. Pollack. How to draw a planar graph on a grid. *Combinatorica*, 10(1):41–51, 1990. (ref: p. 94)

[DFPS00] A. Deza, K. Fukuda, D. Pasechnik, and M. Sato. Generating vertices with symmetries. In *Proc. of the 5th Workshop on Algorithms and Computation, Tokyo University*, pages 1–8, 2000. (ref: p. 106)

[DG99] S. Dasgupta and A. Gupta. An elementary proof of the Johnson–Lindenstrauss lemma. Technical Report TR-99-06, Intl. Comput. Sci. Inst., Berkeley, CA, 1999. (ref: p. 367)

[DGK63] L. Danzer, B. Grünbaum, and V. Klee. Helly's theorem and its relatives. In *Convexity*, volume 7 of *Proc. Symp. Pure Math.*, pages 101–180. American Mathematical Society, Providence, 1963. (refs: pp. 8, 12, 13, 333)

[Dil50] R. P. Dilworth. A decomposition theorem for partially ordered sets. *Annals of Math.*, 51:161–166, 1950. (ref: p. 301)

[Din05] I. Dinur. The PCP theorem by gap amplification. ECCC Technical Report TR05-039, `http://www.eccc.uni-trier.de/eccc/`, 2005. (ref: p. 389)

[Dir42] G. L. Dirichlet. Verallgemeinerung eines Satzes aus der Lehre von Kettenbrüchen nebst einigen Anwendungen auf die Theorie der Zahlen. In *Bericht über die zur Bekantmachung geeigneten*

Verhandlungen der Königlich Preussischen Akademie der Wissenschaften zu Berlin, pages 93–95. 1842. Reprinted in L. Kronecker (editor): *G. L. Dirichlet's Werke* Vol. I, G. Reimer, Berlin 1889, reprinted Chelsea, New York 1969. (ref: p. 21)

[Dir50] G. L. Dirichlet. Über die Reduktion der positiven quadratischen Formen mit drei unbestimmten ganzen Zahlen. *J. Reine Angew. Math.*, 40:209–227, 1850. (ref: p. 120)

[DL97] M. M. Deza and M. Laurent. *Geometry of Cuts and Metrics*. Algorithms and Combinatorics 15. Springer-Verlag, Berlin etc., 1997. (refs: pp. 107, 363)

[DM85] H. Dym and H. P. McKean. *Fourier series and integrals*. Probability and Mathematical Statistics, Vol. 14. Academic Press, Orlando, 1985. (ref: p. 397)

[Dol'92] V. L. Dol'nikov. A generalization of the ham sandwich theorem. *Mat. Zametki*, 52(2):27–37, 1992. In Russian; English translation in *Math. Notes* 52,2:771–779, 1992. (ref: p. 16)

[Doi73] J.-P. Doignon. Convexity in cristallographical lattices. *J. Geometry*, 3:71–85, 1973. (ref: p. 302)

[DR50] A. Dvoretzky and C. A. Rogers. Absolute and unconditional convergence in normed linear spaces. *Proc. Natl. Acad. Sci. USA*, 36:192–197, 1950. (ref: p. 358)

[DS65] H. Davenport and A. Schinzel. A combinatorial problem connected with differential equations. *Amer. J. Math.*, 87:684–689, 1965. (ref: p. 175)

[DSV03] G. Davidoff, P. Sarnak, and A. Valette. *Elementary number theory, group theory and Ramanujan graphs*. London Math. Soc. Student Texts 55. Cambridge University Press, Cambridge, 2003. (ref: p. 388)

[Dud78] R. M. Dudley. Central limit theorems for empirical measures. *Ann. Probab.*, 6:899–929, 1978. (ref: p. 254)

[DV02] H. Djidjev and I. Vrt'o. An improved lower bound for crossing numbers. In *Proc. Graph Drawing 2001 (Lecture Notes in Computer Science 2265)*. Springer, Berlin etc., 2002. (ref: p. 57)

[Dvo59] A. Dvoretzky. A theorem on convex bodies and applications to Banach spaces. *Proc. Natl. Acad. Sci. USA*, 45:223–226, 1959. Errata. Ibid. 1554. (ref: p. 358)

[Dvo61] A. Dvoretzky. Some results on convex bodies and Banach spaces. In *Proc. Int. Symp. Linear Spaces 1960*, pages 123–160. Jerusalem Academic Press, Jerusalem; Pergamon, Oxford, 1961. (refs: pp. 352, 358)

[Dwo97] C. Dwork. Positive applications of lattices to cryptography. In *Proc. 22nd International Symposium on Mathematical Foundations of Computer Science (Lect. Notes Comput. Sci. 1295)*, pages 44–51. Springer, Berlin, 1997. (refs: pp. 26, 27)

[Eck85] J. Eckhoff. An upper-bound theorem for families of convex sets. *Geom. Dedicata*, 19:217–227, 1985. (ref: p. 199)

[Eck93] J. Eckhoff. Helly, Radon and Carathéodory type theorems. In P. M. Gruber and J. M. Wills, editors, *Handbook of Convex Geometry*. North-Holland, Amsterdam, 1993. (refs: pp. 8, 12, 13)

[Ede89] H. Edelsbrunner. The upper envelope of piecewise linear functions: Tight complexity bounds in higher dimensions. *Discrete Comput. Geom.*, 4:337–343, 1989. (ref: p. 186)

[Ede98] H. Edelsbrunner. Geometry of modeling biomolecules. In P. K. Agarwal, L. E. Kavraki, and M. Mason, editors, *Proc. Workshop Algorithmic Found. Robot.* A. K. Peters, Natick, MA, 1998. (ref: p. 122)

[Edm65] J. Edmonds. Maximum matching and a polyhedron with 0,1-vertices. *J. Res. National Bureau of Standards (B)*, 69:125–130, 1965. (ref: p. 300)

[EE94] Gy. Elekes and P. Erdős. Similar configurations and pseudo grids. In K. Böröczky et al., editors, *Intuitive Geometry. Proceedings of the 3rd International Conference Held in Szeged, Hungary, From 2 To 7 September, 1991*, Colloq. Math. Soc. Janos Bolyai. 63, pages 85–104. North-Holland, Amsterdam, 1994. (refs: pp. 47, 51)

[EEST05] M. Elkin, Y. Emek, D. A. Spielman, and S.-H. Teng. Lower-stretch spanning trees. In *Proc. 37th Annual ACM Symposium on Theory of Computing*, pages 494–503, 2005. Also see `http://arxiv.org/abs/cs.DS/0411064`. (ref: p. 413)

[EFPR93] P. Erdős, Z. Füredi, J. Pach, and I. Ruzsa. The grid revisited. *Discrete Math.*, 111:189–196, 1993. (ref: p. 48)

[EGS90] H. Edelsbrunner, L. Guibas, and M. Sharir. The complexity of many cells in arrangements of planes and related problems. *Discrete Comput. Geom.*, 5:197–216, 1990. (ref: p. 46)

[EHP89] P. Erdős, D. Hickerson, and J. Pach. A problem of Leo Moser about repeated distances on the sphere. *Amer. Math. Mon.*, 96:569–575, 1989. (ref: p. 45)

[EKZ03] D. Eppstein, G. Kuperberg, and G. M. Ziegler. Fat 4-polytopes and fatter 3-spheres. In *Discrete Geometry: In honor of W. Kuperberg's 60th birthday* (A. Bezdek, ed.), Pure and Applied Mathematics Vol. 253, pages 239–265. Marcel Dekker Inc., New York, NY, 2003. (ref: p. 107)

[Ele86] Gy. Elekes. A geometric inequality and the complexity of computing the volume. *Discrete Comput. Geom.*, 1:289–292, 1986. (refs: pp. 326, 328)

[Ele97] Gy. Elekes. On the number of sums and products. *Acta Arith.*, 81(4):365–367, 1997. (ref: p. 50)

[Ele99] Gy. Elekes. On the number of distinct distances and certain algebraic curves. *Period. Math. Hung.*, 38(3):173–177, 1999. (ref: p. 48)

[Ele02] Gy. Elekes. Sums versus products in number theory, algebra and Erdős geometry. In G. Halász et al., editors, *Paul Erdős and His Mathematics II (Bolyai Soc. Math. Stud. 11)*, pages 241–290. Springer, Berlin, 2002. (refs: pp. 47, 48, 49, 54)

[ELSS73] P. Erdős, L. Lovász, A. Simmons, and E. Straus. Dissection graphs of planar point sets. In J. N. Srivastava, editor, *A Survey of Combinatorial Theory*, pages 139–154. North-Holland, Amsterdam, Netherlands, 1973. (refs: pp. 273, 281)

[Enf69] P. Enflo. On the nonexistence of uniform homeomorphisms between L_p-spaces. *Ark. Mat.*, 8:103–105, 1969. (ref: p. 378)

[EOS86] H. Edelsbrunner, J. O'Rourke, and R. Seidel. Constructing arrangements of lines and hyperplanes with applications. *SIAM J. Comput.*, 15:341–363, 1986. (ref: p. 151)

[EP71] P. Erdős and G. Purdy. Some extremal problems in geometry. *J. Combin. Theory*, 10(3):246–252, 1971. (ref: p. 50)

[Epp95] D. Eppstein. Dynamic Euclidean minimum spanning trees and extrema of binary functions. *Discrete Comput. Geom.*, 13:111–122, 1995. (ref: p. 124)

[Epp98] D. Eppstein. Geometric lower bounds for parametric matroid optimization. *Discrete Comput. Geom.*, 20:463–476, 1998. (ref: p. 275)

[ER00] Gy. Elekes and L. Rónyai. A combinatorial problem on polynomials and rational functions. *J. Combin. Thoery Ser. B*, 89(1):1–20, 2000. (ref: p. 48)

[Erd46] P. Erdős. On a set of distances of n points. *Amer. Math. Monthly*, 53:248–250, 1946. (refs: pp. 44, 45, 54, 68)

[Erd60] P. Erdős. On sets of distances of n points in Euclidean space. *Publ. Math. Inst. Hungar. Acad. Sci.*, 5:165–169, 1960. (ref: p. 45)

[ES35] P. Erdős and G. Szekeres. A combinatorial problem in geometry. *Compositio Math.*, 2:463–470, 1935. (refs: pp. 32, 33)

[ES63] P. Erdős and H. Sachs. Regular graphs with given girth and minimal number of knots (in German). *Wiss. Z. Martin-Luther-Univ. Halle-Wittenberg, Math.-Naturwiss. Reihe*, 12:251–258, 1963. (ref: p. 374)

[ES83] P. Erdős and M. Simonovits. Supersaturated graphs and hypergraphs. *Combinatorica*, 3:181–192, 1983. (ref: p. 217)

[ES96] H. Edelsbrunner and N. R. Shah. Incremental topological flipping works for regular triangulations. *Algorithmica*, 15:223–241, 1996. (ref: p. 121)

[ES00] A. Efrat and M. Sharir. On the complexity of the union of fat objects in the plane. *Discrete Comput. Geom.*, 23:171–189, 2000. (ref: p. 194)

[ESS93] H. Edelsbrunner, R. Seidel, and M. Sharir. On the zone theorem for hyperplane arrangements. *SIAM J. Comput.*, 22(2):418–429, 1993. (ref: p. 151)

[EVW97] H. Edelsbrunner, P. Valtr, and E. Welzl. Cutting dense point sets in half. *Discrete Comput. Geom.*, 17(3):243–255, 1997. (refs: pp. 274, 277)

[EW85] H. Edelsbrunner and E. Welzl. On the number of line separations of a finite set in the plane. *Journal of Combinatorial Theory Ser. A*, 38:15–29, 1985. (ref: p. 273)

[EW86] H. Edelsbrunner and E. Welzl. Constructing belts in two-dimensional arrangements with applications. *SIAM J. Comput.*, 15:271–284, 1986. (ref: p. 75)

[Far94] G. Farkas. Applications of Fourier's mechanical principle (in Hungarian). *Math. Termés. Értesitő*, 12:457–472, 1893/94. German translation in *Math. Nachr. Ungarn* 12:1–27, 1895. (ref: p. 8)

[Fei00] U. Feige. Approximating the bandwidth via volume respecting embeddings. *J. Comput. Syst. Sci*, 60:510–539, 2000. (ref: p. 410)

[Fel97] S. Felsner. On the number of arrangements of pseudolines. *Discrete Comput. Geom.*, 18:257–267, 1997. (ref: p. 139)

[FH92] Z. Füredi and P. Hajnal. Davenport–Schinzel theory of matrices. *Discrete Math.*, 103:233–251, 1992. (ref: p. 177)

[Fie73] M. Fiedler. Algebraic connectivity of graphs. *Czechosl. Math. J.*, 23(98):298–305, 1973. (ref: p. 387)

[Fig76] T. Figiel. On the moduli of convexity and smoothness. *Studia Math.*, 56:121–155, 1976. (ref: p. 417)

[FKS89] J. Friedman, J. Kahn, and E. Szemerédi. On the second eigenvalue of random regular graphs. In *Proceedings of the Twenty First Annual ACM Symposium on Theory of Computing*, pages 587–598, 1989. (ref: p. 387)

[FLM77] T. Figiel, J. Lindenstrauss, and V. D. Milman. The dimension of almost spherical sections of convex bodies. *Acta Math.*, 139:53–94, 1977. (refs: pp. 342, 352, 354, 358, 359)

[FR02] P. Frankl and V. Rödl. Extremal problems on set systems. *Random Structures and Algorithms*, 20(2):131–164, 2002. (ref: p. 229)

[Fre73] G. A. Freiman. *Foundations of a Structural Theory of Set Addition*. Translations of Mathematical Monographs. Vol. 37. American Mathematical Society, Providence, RI, 1973. (ref: p. 47)

[Fre76] M. L. Fredman. How good is the information theory bound in sorting? *Theor. Comput. Sci.*, 1:355–361, 1976. (ref: p. 314)

[Fri91] J. Friedman. On the second eigenvalue and random walks in random d-regular graphs. *Combinatorica*, 11:331–362, 1991. (ref: p. 387)

[FRT03] J. Fakcharoenphol, S. Rao, and K. Talwar. A tight bound on approximating arbitrary metrics by tree metrics. In *Proc. 35th ACM Symposium on Theory of Computing*, 2003. (refs: pp. 413, 414)

[Ful70] D. R. Fulkerson. The perfect graph conjecture and pluperfect graph theorem. In R. C. Bose et al., editors, *Proc. of the Second Chapel Hill Conference on Combinatorial Mathematics and Its Applications*, pages 171–175. Univ. of North Carolina, Chapel Hill, North Carolina, 1970. (ref: p. 299)

[Für96] Z. Füredi. New asymptotics for bipartite Turán numbers. *J. Combin. Theory Ser. A*, 75:141–144, 1996. (ref: p. 68)

[Gal56] D. Gale. Neighboring vertices on a convex polyhedron. In H. W. Kuhn and A. W. Tucker, editors, *Linear Inequalities and Related Systems*, Annals of Math. Studies 38, pages 255–263. Princeton University Press, Princeton, 1956. (ref: p. 114)

[Gal63] D. Gale. Neighborly and cyclic polytopes. In V. Klee, editor, *Convexity*, volume 7 of *Proc. Symp. Pure Math.*, pages 225–232. American Mathematical Society, 1963. (ref: p. 98)

[Ger05] T. Gerken. On empty convex hexagons in planar point sets. Manuscript, TU München, 2005. (ref: p. 37)

[GGL95] R. L. Graham, M. Grötschel, and L. Lovász, editors. *Handbook of Combinatorics*. North-Holland, Amsterdam, 1995. (refs: pp. viii, 85)

[GJ00] E. Gawrilow and M. Joswig. `polymake`: a framework for analyzing convex polytopes. In G. Kalai and G. M. Ziegler, editors, *Polytopes—Combinatorics and Computation*, pages 43–74. Birkhäuser, Basel, 2000. Software available at `http://www.math.tu-berlin.de/diskregeom/polymake/`. (ref: p. 85)

[GKL03] A. Gupta, R. Krauthgamer, and J. R. Lee. Bounded geometries, fractals, and low-distortion embeddings. In *Proc. 44th IEEE Symposium on Foundations of Computer Science*, pages 534–543, 2003. (ref: p. 423)

[GKS99] R. J. Gardner, A. Koldobsky, and T. Schlumprecht. An analytic solution to the Busemann–Petty problem on sections of convex bodies. *Annals of Math.*, 149:691–703, 1999. (ref: p. 320)

[GKV94] L. Gargano, J. Körner, and U. Vaccaro. Capacities: From information theory to extremal set theory. *J. Combin. Theory, Ser. A*, 68(2):296–316, 1994. (ref: p. 315)

[GL87] P. M. Gruber and C. G. Lekkerkerker. *Geometry of Numbers*. North-Holland, Amsterdam, 2nd edition, 1987. (ref: p. 20)

[GLS88] M. Grötschel, L. Lovász, and A. Schrijver. *Geometric Algorithms and Combinatorial Optimization*, volume 2 of *Algorithms and Combinatorics*. Springer-Verlag, Berlin etc., 1988. 2nd edition 1993. (refs: pp. 24, 26, 299, 300, 327, 328, 333, 387)

[Glu89] E. D. Gluskin. Extremal properties of orthogonal parallelepipeds and their applications to the geometry of Banach spaces. *Math. USSR Sbornik*, 64(1):85–96, 1989. (ref: p. 326)

[GM90] H. Gazit and G. L. Miller. Planar separators and the Euclidean norm. In *Proc. 1st Annu. SIGAL Internat. Sympos. Algorithms*. Information Processing Society of Japan, Springer-Verlag, August 1990. (ref: p. 57)

[GNRS99] A. Gupta, I. Newman, Yu. Rabinovich, and A. Sinclair. Cuts, trees and ℓ_1-embeddings of graphs. In *Proc. 40th IEEE Symposium on Foundations of Computer Science*, pages 399–409, 1999. Also sumbitted to *Combinatorica*. (ref: p. 410)

[GO97] J. E. Goodman and J. O'Rourke, editors. *Handbook of Discrete and Computational Geometry*. CRC Press LLC, Boca Raton, FL, 1997. (refs: pp. viii, 85)

[Goo97] J. E. Goodman. Pseudoline arrangements. In J. E. Goodman and J. O'Rourke, editors, *Handbook of Discrete and Computational Geometry*, pages 83–110. CRC Press LLC, Boca Raton, FL, 1997. (refs: pp. 136, 139)

[Gor88] Y. Gordon. Gaussian processes and almost spherical sections of convex bodies. *Ann. Probab.*, 16:180–188, 1988. (ref: p. 359)

[GOR96] Leonidas J. Guibas, M. H. Overmars, and J.-M. Robert. The exact fitting problem for points. *Comput. Geom. Theory Appl.*, 6:215–230, 1996. (ref: p. 46)

[Gow98] W. T. Gowers. A new proof of Szemeredi's theorem for arithmetic progressions of length four. *Geom. Funct. Anal.*, 8(3):529–551, 1998. (refs: pp. 48, 230)

[Gow03] T. Gowers. Hypergraph regularity and the multidimensional Szemerédi theorem. Manuscript, Cambridge University, 2003. (ref: p. 229)

[GP84] J. E. Goodman and R. Pollack. On the number of k-subsets of a set of n points in the plane. *J. Combin. Theory Ser. A*, 36:101–104, 1984. (ref: p. 145)

[GP86] J. E. Goodman and R. Pollack. Upper bounds for configurations and polytopes in $\Re^d$. *Discrete Comput. Geom.*, 1:219–227, 1986. (ref: p. 140)

[GP93] J. E. Goodman and R. Pollack. Allowable sequences and order types in discrete and computational geometry. In J. Pach, editor, *New Trends in Discrete and Computational Geometry*, volume 10 of *Algorithms and Combinatorics*, pages 103–134. Springer, Berlin etc., 1993. (ref: p. 222)

[GPS90] J. E. Goodman, R. Pollack, and B. Sturmfels. The intrinsic spread of a configuration in $\Re^d$. *J. Amer. Math. Soc.*, 3:639–651, 1990. (ref: p. 138)

[GPW93] J. E. Goodman, R. Pollack, and R. Wenger. Geometric transversal theory. In J. Pach, editor, *New Trends in Discrete and Computational Geometry*, volume 10 of *Algorithms *and Combinatorics*, pages 163–198. Springer, Berlin etc., 1993. (ref: p. 266)

[GPW96] J. E. Goodman, R. Pollack, and R. Wenger. Bounding the number of geometric permutations induced by k-transversals. *J. Combin. Theory Ser. A*, 75:187–197, 1996. (ref: p. 223)

[GPWZ94] J. E. Goodman, R. Pollack, R. Wenger, and T. Zamfirescu. Arrangements and topological planes. *Amer. Math. Monthly*, 101(10):866–878, 1994. (ref: p. 137)

[Gro56] A. Grothendieck. Sur certaines classes de suites dans les espaces de Banach et le theorème de Dvoretzky Rogers. *Bol. Soc. Math. Sao Paulo*, 8:81–110, 1956. (ref: p. 358)

[Gro98] M. Gromov. *Metric Structures for Riemmanian and non-Riemmanian spaces.* Birkhäuser, Basel, 1998. (refs: pp. 342, 397)

[GRS97] Y. Gordon, S. Reisner, and C. Schütt. Umbrellas and polytopal approximation of the Euclidean ball. *J. Approximation Theory*, 90(1):9–22, 1997. Erratum ibid. 95:331, 1998. (ref: p. 327)

[Grü60] B. Grünbaum. Partitions of mass-distributions and of convex bodies by hyperplanes. *Pac. J. Math.*, 10:1257–1267, 1960. (ref: p. 314)

[Grü67] B. Grünbaum. *Convex Polytopes.* John Wiley & Sons, New York, NY, 1967. (refs: pp. 85, 114)

[Grü72] B. Grünbaum. *Arrangements and Spreads.* Regional Conf. Ser. Math. American Mathematical Society, Providence, RI, 1972. (ref: p. 128)

[Gru93] P. M. Gruber. Geometry of numbers. In P. M. Gruber and J. M. Wills, editors, *Handbook of Convex Geometry (Vol. B)*, pages 739–763. North-Holland, Amsterdam, 1993. (ref: p. 20)

[Grü03] B. Grünbaum. *Convex Polytopes. Second edition prepared by V. Kaibel, V. Klee, and G. M. Ziegler.* Springer, Berlin, 2003. (ref: p. 85)

[Gup00] A. Gupta. Embedding tree metrics into low dimensional Euclidean spaces. *Discrete Comput. Geom.*, 24:105–116, 2000. (ref: p. 407)

[GW93] P. M. Gruber and J. M. Wills, editors. *Handbook of Convex Geometry (volumes A and B).* North-Holland, Amsterdam, 1993. (refs: pp. viii, 8, 85, 320, 326)

[GW95] M. X. Goemans and D. P. Williamson. Improved approximation algorithms for maximum cut and satisfiability problems using semidefinite programming. *J. ACM*, 42:1115–1145, 1995. (ref: p. 391)

[Har66] L. H. Harper. Optimal numberings and isoperimetric problems on graphs. *J. Combin. Theory*, 1:385–393, 1966. (ref: p. 342)

[Har79] H. Harborth. Konvexe Fünfecke in ebenen Punktmengen. *Elem. Math.*, 33:116–118, 1979. (ref: p. 37)

[Hås97] J. Håstad. Some optimal inapproximability results. In *Proc. 29th Annual ACM Symposium on Theory of Computing*, pages 1–10, 1997. (ref: p. 391)

[Hoc96] D. Hochbaum, editor. *Approximation Algorithms for NP-hard Problems.* PWS Publ. Co., Florence, Kentucky, 1996. (ref: p. 240)

[Hor83] J. D. Horton. Sets with no empty convex 7-gons. *Canad. Math. Bull.*, 26:482–484, 1983. (ref: p. 37)

[HS86] S. Hart and M. Sharir. Nonlinearity of Davenport–Schinzel sequences and of generalized path compression schemes. *Combinatorica*, 6:151–177, 1986. (refs: pp. 173, 175)

[HS94] D. Halperin and M. Sharir. New bounds for lower envelopes in three dimensions, with applications to visibility in terrains. *Discrete Comput. Geom.*, 12:313–326, 1994. (refs: pp. 189, 192)

[HS95] D. Halperin and M. Sharir. Almost tight upper bounds for the single cell and zone problems in three dimensions. *Discrete Comput. Geom.*, 14:385–410, 1995. (ref: p. 193)

[HW87] D. Haussler and E. Welzl. Epsilon-nets and simplex range queries. *Discrete Comput. Geom.*, 2:127–151, 1987. (refs: pp. 68, 246, 258)

[IM98] P. Indyk and R. Motwani. Approximate nearest neighbors: Towards removing the curse of dimensionality. In *Proc. 30th Annual ACM Symposium on Theory of Computing*, pages 604–613, 1998. (ref: p. 367)

[IM04] P. Indyk and J. Matoušek. Low-distortion embeddings of discrete metric spaces. In J. E. Goodman and J. O'Rourke, editors, *Handbook of Discrete and Computational Geometry, 2nd edition*, chapter 8, pages 177–196. CRC Press LLC, Boca Raton, FL, 2004. (ref: p. 363)

[Ind01] P. Indyk. Algorithmic applications of low-distortion embeddings. In *Proc. 42nd IEEE Symposium on Foundations of Computer Science*, 2001. (refs: pp. 363, 367)

[Ind04] P. Indyk. Nearest neighbors in high-dimensional spaces. In J. E. Goodman and J. O'Rourke, editors, *Handbook of Discrete and Computational Geometry, 2nd edition*, chapter 39, pages 877–892. CRC Press LLC, Boca Raton, FL, 2004. (ref: p. 417)

[JL84] W. B. Johnson and J. Lindenstrauss. Extensions of Lipschitz mappings into a Hilbert space. *Contemp. Math.*, 26:189–206, 1984. (ref: p. 367)

[JM94] S. Jadhav and A. Mukhopadhyay. Computing a centerpoint of a finite planar set of points in linear time. *Discrete Comput. Geom.*, 12:291–312, 1994. (ref: p. 16)

[Joh48] F. John. Extremum problems with inequalities as subsidiary conditions. In *Studies and Essays, presented to R. Courant on his 60th birthday, January 8, 1948*, pages 187–204. Interscience Publishers, Inc., New York, N. Y., 1948. Reprinted in: J. Moser (editor): *Fritz John, Collected papers*, Volume 2, Birkhäuser, Boston, Massachusetts, 1985, pages 543–560. (ref: p. 333)

[JSV01] M. Jerrum, A. Sinclair, and E. Vigoda. A polynomial-time approximation algorithm for the permanent of a matrix with non-negative entries. In *Proc. 33rd Annu. ACM Symposium on Theory of Computing*, pages 712–721, 2001. Also available in Electronic Colloquium on Computational Complexity, Report TR00-079, `http://eccc.uni-trier.de/eccc/`. (ref: p. 328)

[Kai97] T. Kaiser. Transversals of d-intervals. *Discrete Comput. Geom.*, 18:195–203, 1997. (ref: p. 266)

[Kal84] G. Kalai. Intersection patterns of convex sets. *Israel J. Math.*, 48:161–174, 1984. (ref: p. 199)

[Kal86] G. Kalai. Characterization of f-vectors of families of convex sets in R^d. II: Sufficiency of Eckhoff's conditions. *J. Combin. Theory, Ser. A*, 41:167–188, 1986. (ref: p. 199)

[Kal88] G. Kalai. A simple way to tell a simple polytope from its graph. *J. Combin. Theory, Ser. A*, 49(2):381–383, 1988. (ref: p. 93)

[Kal91] G. Kalai. The diameter of graphs of convex polytopes and f-vector theory. In *Applied Geometry and Discrete Mathematics (The Victor Klee Festschrift), DIMACS Series in Discr. Math. and Theoret. Comput. Sci. Vol. 4*, pages 387–411. Amer. Math. Soc., Providence, RI, 1991. (ref: p. 104)

[Kal92] G. Kalai. A subexponential randomized simplex algorithm. In *Proc. 24th Annu. ACM Sympos. Theory Comput.*, pages 475–482, 1992. (ref: p. 93)

[Kal97] G. Kalai. Linear programming, the simplex algorithm and simple polytopes. *Math. Program.*, 79B:217–233, 1997. (ref: p. 93)

[Kal01] G. Kalai. Combinatorics with a geometric flavor: Some examples. In *Visions in Mathematics Towards 2000 (GAFA, special volume), part II*, pages 742–792. Birkhäuser, Basel, 2001. (ref: p. 206)

[Kan96] G. Kant. Drawing planar graphs using the canonical ordering. *Algorithmica*, 16:4–32, 1996. (ref: p. 94)

[Kár01] Gy. Károlyi. Ramsey-remainder for convex sets and the Erdős–Szekeres theorem. *Discrete Applied Math.*, 109:163–175, 2001. (ref: p. 33)

[Kat78] M. Katchalski. A Helly type theorem for convex sets. *Can. Math. Bull.*, 21:121–123, 1978. (ref: p. 13)

[KGT01] D. J. Kleitman, A. Gyárfás, and G. Tóth. Convex sets in the plane with three of every four meeting. *Combinatorica*, 21(2):221–232, 2001. (ref: p. 262)

[Kha89] L. G. Khachiyan. Problems of optimal algorithms in convex programming, decomposition and sorting (in Russian). In Yu. I. Zhuravlev, editor, *The Computer and Choice Problems*, pages 161–205. Nauka, Moscow, 1989. (ref: p. 314)

[Kir03] P. Kirchberger. Über Tschebyschefsche Annäherungsmethoden. *Math. Ann.*, 57:509–540, 1903. (ref: p. 13)

[Kis68] S. S. Kislitsyn. Finite partially ordered sets and their corresponding permutation sets (in Russian). *Mat.Zametki*, 4:511–518, 1968. English translation in *Math. Notes* 4:798-801, 1968. (ref: p. 314)

[KK95] J. Kahn and J.-H. Kim. Entropy and sorting. *J. Assoc. Comput. Machin.*, 51:390–399, 1995. (ref: p. 315)

[KL79] M. Katchalski and A. Liu. A problem of geometry in R^n. *Proc. Amer. Math. Soc.*, 75:284–288, 1979. (ref: p. 199)

[KL91] J. Kahn and N. Linial. Balancing extensions via Brunn–Minkowski. *Combinatorica*, 11(4):363–368, 1991. (ref: p. 314)

[Kla92] M. Klazar. A general upper bound in extremal theory of sequences. *Comment. Math. Univ. Carol.*, 33:737–746, 1992. (ref: p. 176)

[Kla99] M. Klazar. On the maximum length of Davenport–Schinzel sequences. In R. Graham et al., editors, *Contemporary Trends in Discrete Mathematics (DIMACS Series in Discrete Mathematics and Theoretical Computer Science, Vol. 49)*, pages 169–178. Amer. Math. Soc., Providence, RI, 1999. (ref: p. 176)

[Kla00] M. Klazar. The Füredi–Hajnal conjecture implies the Stanley–Wilf conjecture. In D. Krob et al., editors, *Formal Power Series and Algebraic Combinatorics (Proceedings of the 12th FPSAC conference, Moscow, June 25-30, 2000)*, pages 250–255. Springer, Berlin etc., 2000. (ref: p. 177)

[Kle53] V. Klee. The critical set of a convex body. *Amer. J. Math.*, 75:178–188, 1953. (ref: p. 12)

[Kle64] V. Klee. On the number of vertices of a convex polytope. *Canadian J. Math*, 16:701–720, 1964. (refs: pp. 103, 105)

[Kle89] R. Klein. *Concrete and Abstract Voronoi Diagrams*, volume 400 of *Lecture Notes Comput. Sci.* Springer-Verlag, Berlin etc., 1989. (ref: p. 121)

[Kle97] J. Kleinberg. Two algorithms for nearest-neighbor search in high dimension. In *Proc. 29th Annu. ACM Sympos. Theory Comput.*, pages 599–608, 1997. (ref: p. 367)

[KLL88] R. Kannan, A. K. Lenstra, and L. Lovász. Polynomial factorization and nonrandomness of bits of algebraic and some transcendental numbers. *Math. Comput.*, 50(181):235–250, 1988. (ref: p. 26)

[KLMN04] R. Krauthgamer, J. R. Lee, M. Mendel, and A. Naor. Measured descent: A technique for optimal embeddings. In *Proc. 45th IEEE Symposium on Foundations of Computer Science*, pages 434–443, 2004. (refs: pp. 411, 421, 422, 423)

[KLMR98] L. E. Kavraki, J.-C. Latombe, R. Motwani, and P. Raghavan. Randomized query processing in robot path planning. *J. Comput. Syst. Sci.*, 57:50–60, 1998. (ref: p. 254)

[KLPS86] K. Kedem, R. Livne, J. Pach, and M. Sharir. On the union of Jordan regions and collision-free translational motion amidst polygonal obstacles. *Discrete Comput. Geom.*, 1:59–71, 1986. (ref: p. 194)

[KLS97] R. Kannan, L. Lovász, and M. Simonovits. Random walks and an $O^*(n^5)$ volume algorithm for convex bodies. *Random Struc. Algo.*, 11:1–50, 1997. (ref: p. 328)

[KM97a] G. Kalai and J. Matoušek. Guarding galleries where every point sees a large area. *Israel J. Math*, 101:125–140, 1997. (refs: pp. 239, 254)

[KM97b] M. Karpinski and A. Macintyre. Polynomial bounds for VC dimension of sigmoidal and general Pfaffian neural networks. *J. Syst. Comput. Sci.*, 54(1):169–176, 1997. (ref: p. 254)

[KN05] S. Khot and A. Naor. Nonembeddability theorems via Fourier analysis. *Math. Annalen*, 2005. In press. Extended abstract in *Proc. 46th IEEE Symposium on Foundations of Computer Science*. (ref: p. 397)

[Koc94] M. Kochol. Constructive approximation of a ball by polytopes. *Math. Slovaca*, 44(1):99–105, 1994. (ref: p. 330)

[Kol01] V. Koltun. Almost tight upper bounds for vertical decompositions in four dimensions. In *Proc. 42nd IEEE Symposium on Foundations of Computer Science*, 2001. (ref: p. 163)

[Kör73] J. Körner. Coding of an information source having ambiguous alphabet and the entropy of graphs. In *Inform. Theory, statist. Decision Funct., Random Processes; Transact. 6th Prague Conf. 1971*, pages 411–425, 1973. (ref: p. 315)

[Kör89] T. W. Körner. *Fourier analysis.* Cambridge Univ. Press, Cambridge, 1989. (ref: p. 397)

[KP01] V. Kaibel and M. E. Pfetsch. Computing the face lattice of a polytope from its vertex-facet incidences. Technical Report, Inst. für Mathematik, TU Berlin, 2001. (ref: p. 105)

[KPR93] P. Klein, S. Plotkin, and S. Rao. Excluded minors, network decomposition, and multicommodity flow. In *Proc. 25th Annual ACM Symposium on the Theory of Computing*, pages 682–690, 1993. (ref: p. 407)

[KPT01] Gy. Károlyi, J. Pach, and G. Tóth. A modular version of the Erdős–Szekeres theorem. *Studia Mathematica Hungarica*, 38:245–259, 2001. (ref: p. 39)

[KPW92] J. Komlós, J. Pach, and G. Woeginger. Almost tight bounds for ϵ-nets. *Discrete Comput. Geom.*, 7:163–173, 1992. (ref: p. 247)

[KR06] R. Krauthgamer and Y. Rabani. Lower bounds for embeddability in L_1. In *Proc. 17th ACM-SIAM Sympos. Discrete Algorithms*, 2006. (refs: pp. 397, 419)

[KRS96] J. Kollár, L. Rónyai, and T. Szabó. Norm-graphs and bipartite Turán numbers. *Combinatorica*, 16(3):399–406, 1996. (ref: p. 68)

[KS84] J. Kahn and M. Saks. Balancing poset extensions. *Order*, 1:113–126, 1984. (ref: p. 314)

[KS96] J. Komlós and M. Simonovits. Szemerédi's regularity lemma and its applications in graph theory. In D. Miklos et al. editors, *Combinatorics, Paul Erdős Is Eighty., Vol. 2*, pages 295–352. János Bólyai Mathematical Society, Budapest, 1996. (ref: p. 229)

[KS02] Gy. Károlyi and J. Solymosi. Almost disjoint triangles in 3-space. *Discrete Comput. Geom.*, 28:577–583, 2002. (ref: p. 217)

[KST54] T. Kővári, V. Sós, and P. Turán. On a problem of K. Zarankiewicz. *Coll. Math.*, 3:50–57, 1954. (ref: p. 68)

[KT99] N. Katoh and T. Tokuyama. Lovász's lemma for the three-dimensional K-level of concave surfaces and its applications. In *Proc. 40th IEEE Symposium on Foundations of Computer Science*, pages 389–398, 1999. (ref: p. 275)

[KV94] M. Klazar and P. Valtr. Generalized Davenport–Schinzel sequences. *Combinatorica*, 14:463–476, 1994. (ref: p. 176)

[KV01] Gy. Károlyi and P. Valtr. Point configurations in d-space without large subsets in convex position. *Discrete Comput. Geom.*, 2001. To appear. (ref: p. 33)

[KV05] S. Khot and N. Vishnoi. The unique games conjecture, integrality gap for cut problems and the embeddability of negative type metrics into ℓ_1. In *Proc. 46th IEEE Symposium on Foundations of Computer Science*, 2005. (refs: pp. 391, 397, 419)

[KZ00] G. Kalai and G. M. Ziegler, editors. *Polytopes—Combinatorics and Computation. DMV-seminar Oberwolfach, Germany, November 1997.* Birkhäuser, Basel, 2000. (ref: p. 85)

[Lar72] D. G. Larman. On sets projectively equivalent to the vertices of a convex polytope. *Bull. Lond. Math. Soc.*, 4:6–12, 1972. (ref: p. 208)

[Lat91] J.-C. Latombe. *Robot Motion Planning.* Kluwer Academic Publishers, Boston, 1991. (ref: p. 122)

[Led01] M. Ledoux. *The Concentration of Measure Phenomenon*, volume 89 of *Mathematical Surveys and Monographs.* Amer. Math. Soc., Providence, RI, 2001. (refs: pp. 342, 346)

[Lee82] D. T. Lee. On k-nearest neighbor Voronoi diagrams in the plane. *IEEE Trans. Comput.*, C-31:478–487, 1982. (ref: p. 122)

[Lee91] C. W. Lee. Winding numbers and the generalized lower-bound conjecture. In J.E. Goodman, R. Pollack, and W. Steiger, editors, *Computational Geometry: Papers from the DIMACS special year*, DIMACS Series in Discrete Mathematics and Theoretical Computer Science 6, pages 209–219. Amer. Math. Soc., 1991. (ref: p. 284)

[Lee05] J. R. Lee. On distance scales, embeddings, and efficient relaxations of the cut cone. In *Proc. 16th ACM-SIAM Sympos. Discrete Algorithms*, pages 92–101, 2005. (refs: pp. 420, 421, 422)

[Lei83] F. T. Leighton. *Complexity issues in VLSI.* MIT Press, Cambridge, MA, 1983. (ref: p. 57)

[Lei84] F. T. Leighton. New lower bound techniques for VLSI. *Math. Systems Theory*, 17:47–70, 1984. (ref: p. 56)

[Len83] H. W. Lenstra. Integer programming with a fixed number of variables. *Math. Oper. Res.*, 8:538–548, 1983. (ref: p. 24)

[Lev26] F. Levi. Die Teilung der projektiven Ebene durch Gerade oder Pseudogerade. *Ber. Math.-Phys. Kl. sächs. Akad. Wiss. Leipzig*, 78:256–267, 1926. (ref: p. 136)

[Lév51] P. Lévy. *Problèmes concrets d'analyse fonctionelle.* Gauthier Villars, Paris, 1951. (ref: p. 346)

[Lin84] N. Linial. The information-theoretic bound is good for merging. *SIAM J. Comput.*, 13:795–801, 1984. (ref: p. 314)

[Lin92] J. Lindenstrauss. Almost spherical sections; their existence and their applications. In *Jahresbericht der DMV, Jubilaeumstag., 100 Jahre DMV, Bremen/Dtschl. 1990*, pages 39–61, 1992. (refs: pp. 342, 358)

[LLL82] A. K. Lenstra, H. W. Lenstra, Jr., and L. Lovász. Factoring polynomials with rational coefficients. *Math. Ann.*, 261:514–534, 1982. (ref: p. 25)

[LLR95] N. Linial, E. London, and Yu. Rabinovich. The geometry of graphs and some its algorithmic applications. *Combinatorica*, 15:215–245, 1995. (refs: pp. 385, 386, 406, 416)

[LLW88] N. Linial, L. Lovász, and A. Wigderson. Rubber bands, convex embeddings and graph connectivity. *Combinatorica*, 8:91–102, 1988. (ref: p. 92)

[LM75] D. Larman and P. Mani. Almost ellipsoidal sections and projections of convex bodies. *Math. Proc. Camb. Philos. Soc.*, 77:529–546, 1975. (ref: p. 359)

[LM93] J. Lindenstrauss and V. D. Milman. The local theory of normed spaces and its applications to convexity. In P. M. Gruber and J. M. Wills, editors, *Handbook of Convex Geometry*, pages 1149–1220. North-Holland, Amsterdam, 1993. (refs: pp. 333, 342)

[LM00] N. Linial and A. Magen. Least-distortion Euclidean embeddings of graphs: Products of cycles and expanders. *J. Combin. Theory Ser. B*, 79:157–171, 2000. (ref: p. 386)

[LMN02] N. Linial, A. Magen, and A. Naor. Girth and Euclidean distortion. *Geom. Funct. Anal.*, 12(2):380–394, 2002. (ref: p. 386)

[LMS94] C.-Y. Lo, J. Matoušek, and W. L. Steiger. Algorithms for ham-sandwich cuts. *Discrete Comput. Geom.*, 11:433, 1994. (ref: p. 16)

[LN04] J. R. Lee and A. Naor. Embedding the diamond graph in L_p and dimension reduction in L_1. *Geom. Funct. Anal.*, 14(4):745–747, 2004. (ref: p. 417)

[LO96] J.-P. Laumond and M. H. Overmars, editors. *Algorithms for Robotic Motion and Manipulation.* A. K. Peters, Wellesley, MA, 1996. (ref: p. 122)

[Lov71] L. Lovász. On the number of halving lines. *Annal. Univ. Scie. Budapest. de Rolando Eötvös Nominatae, Sectio Math.*, 14:107–108, 1971. (refs: pp. 273, 284)

[Lov72] L. Lovász. Normal hypergraphs and the perfect graph conjecture. *Discrete Math.*, 2:253–267, 1972. (ref: p. 299)

[Lov74] L. Lovász. Problem 206. *Matematikai Lapok*, 25:181, 1974. (ref: p. 200)

[Lov86] L. Lovász. *An Algorithmic Theory of Numbers, Graphs and Convexity.* SIAM Regional Series in Applied Mathematics. SIAM, Philadelphia, 1986. (refs: pp. 24, 26)

[Lov93] L. Lovász. *Combinatorial Problems and Exercises (2nd edition).* Akadémiai Kiadó, Budapest, 1993. (refs: pp. 239, 380)

[Lov03] L. Lovász. Semidefinite programs and combinatorial optimization. In B. Reed and C. Linhares-Sales, editors, *Recent Advances in Algorithms and Combinatorics*, pages 137–194. Springer, New York, 2003. (refs: pp. 300, 387)

[LP86] L. Lovasz and M. D. Plummer. *Matching Theory*, volume 29 of *Ann. Discrete Math.* North-Holland, 1986. (ref: p. 239)

[LP01] U. Lang and C. Plaut. Bilipschitz embeddings of metric spaces into space forms. *Geom. Dedicata*, 87:285–307, 2001. (ref: p. 425)

[LPS88] A. Lubotzky, R. Phillips, and P. Sarnak. Ramanujan graphs. *Combinatorica*, 8:261–277, 1988. (refs: pp. 373, 388)

[LR97] M. Laczkovich and I. Ruzsa. The number of homothetic subsets. In R. L. Graham and J. Nešetřil, editors*, The Mathematics of Paul Erdős, Vol. II*, volume 14 of *Algorithms and Combinatorics*, pages 294–302. Springer, Berlin etc., 1997. (ref: p. 47)

[LS03] N. Linial and M. Saks. The Euclidean distortion of complete binary trees. *Discr. Comput. Geom.*, 29(1):19–21, 2003. (ref: p. 407)

[LUW95] F. Lazebnik, V. A. Ustimenko, and A. J. Woldar. A new series of dense graphs of high girth. *Bull. Amer. Math. Soc., New Ser.*, 32(1):73–79, 1995. (ref: p. 373)

[LUW96] F. Lazebnik, V. A. Ustimenko, and A. J. Woldar. A characterization of the components of the graphs $D(k,q)$. *Discrete Math.*, 157(1-3):271–283, 1996. (ref: p. 373)

[LVWW04] L. Lovász, K. Vesztergombi, U. Wagner, and E. Welzl. Convex quadrilaterals and k-sets. In *Towards a Theory of Geometric Graphs (J. Pach, ed.)*. Amer. Math. Soc., Providence, RI, 2004. To appear. (ref: p. 276)

[Mac50] A.M. Macbeath. A compactness theorem for affine equivalence-classes of convex regions. *Canad. J. Math*, 3:54–61, 1950. (ref: p. 327)

[Mar88] G. A. Margulis. Explicit group-theoretic constructions of combinatorial schemes and their application to the design of expanders and concentrators (in Russian). *Probl. Peredachi Inf.*, 24(1):51–60, 1988. English translation: *Probl. Inf. Transm.* 24, No.1, 39–46 (1988). (ref: p. 388)

[Mat90a] J. Matoušek. Construction of ϵ-nets. *Discrete Comput. Geom.*, 5:427–448, 1990. (refs: pp. 68, 75)

[Mat90b] J. Matoušek. Bi-Lipschitz embeddings into low-dimensional Euclidean spaces. *Comment. Math. Univ. Carolinae*, 31:589–600, 1990. (ref: p. 374)

[Mat92] J. Matoušek. Efficient partition trees. *Discrete Comput. Geom.*, 8:315–334, 1992. (ref: p. 69)

[Mat96a] J. Matoušek. Note on the colored Tverberg theorem. *J. Combin. Theory Ser. B*, 66:146–151, 1996. (ref: p. 207)

[Mat96b] J. Matoušek. On the distortion required for embedding finite metric spaces into normed spaces. *Israel J. Math.*, 93:333–344, 1996. (refs: pp. 140, 373, 402)

[Mat97] J. Matoušek. On embedding expanders into ℓ_p spaces. *Israel J. Math.*, 102:189–197, 1997. (ref: p. 385)

[Mat98] J. Matoušek. On constants for cuttings in the plane. *Discrete Comput. Geom.*, 20:427–448, 1998. (ref: p. 75)

[Mat99a] J. Matoušek. *Geometric Discrepancy (An Illustrated Guide).* Springer-Verlag, Berlin, 1999. (ref: p. 247)

[Mat99b] J. Matoušek. On embedding trees into uniformly convex Banach spaces. *Israel J. Math*, 114:221–237, 1999. (ref: p. 407)

[Mat02] J. Matoušek. A lower bound for weak epsilon-nets in high dimension. *Discrete Comput. Geom.*, 28(1):45–48, 2002. (ref: p. 258)

[Mat05] J. Matoušek (editor). Open problems on embeddings of finite metric spaces. KAM Series (technical report), Charles University, Prague; also available at the author's web page, 2005. (ref: p. 416)

[McM70] P. McMullen. The maximal number of faces of a convex polytope. *Mathematika*, 17:179–184, 1970. (ref: p. 103)

[McM93] P. McMullen. On simple polytopes. *Invent. Math.*, 113:419–444, 1993. (ref: p. 105)

[McM96] P. McMullen. Weights on polytopes. *Discrete Comput. Geom.*, 15:363–388, 1996. (ref: p. 105)

[Mic98] D. Micciancio. The shortest vector in a lattice is hard to approximate within some constants. In *Proc. 39th IEEE Symposium on Foundations of Computer Science*, pages 92–98, 1998. (ref: p. 25)

[Mil64] J. W. Milnor. On the Betti numbers of real algebraic varieties. *Proc. Amer. Math. Soc.*, 15:275–280, 1964. (ref: p. 135)

[Mil69] V. D. Milman. Spectrum of continuous bounded functions on the unit sphere of a Banach space. *Funct. Anal. Appl.*, 3:67–79, 1969. (refs: pp. 347, 354)

[Mil71] V. D. Milman. New proof of the theorem of Dvoretzky on sections of convex bodies. *Funct. Anal. Appl.*, 5:28–37, 1971. (refs: pp. 347, 354, 359)

[Mil98] V. D. Milman. Surprising geometric phenomena in high-dimensional convexity theory. In A. Balog et al., editors, *European Congress of Mathematics (ECM), Budapest, Hungary, July 22–26, 1996. Volume II*, pages 73–91. Birkhäuser, Basel, 1998. (refs: pp. 319, 327, 342)

[Min96] H. Minkowski. *Geometrie der Zahlen.* Teubner, Leipzig, 1896. Reprinted by Johnson, New York, NY 1968. (refs: pp. 20, 306)

[MN06] M. Mendel and A. Naor. Metric cotype. In *Proc. 17th ACM-SIAM Sympos. Discrete Algorithms*, 2006. (ref: p. 424)

[Mne89] M. E. Mnev. The universality theorems on the classification problem of configuration varieties and convex polytopes varieties. In O. Y. Viro, editor, *Topology and Geometry—Rohlin Seminar*, volume 1346 of *Lecture Notes Math.*, pages 527–544. Springer, Berlin etc., 1989. (ref: p. 138)

[Mor94] M. Morgenstern. Existence and explicit constructions of $q+1$ regular Ramanujan graphs for every prime power q. *J. Combin. Theory, Ser. B*, 62(1):44–62, 1994. (ref: p. 388)

[Mos52] L. Moser. On the different distances determined by n points. *Amer. Math. Monthly*, 59:85–91, 1952. (ref: p. 45)

[MPS+94] J. Matoušek, J. Pach, M. Sharir, S. Sifrony, and E. Welzl. Fat triangles determine linearly many holes. *SIAM J. Comput.*, 23:154–169, 1994. (ref: p. 194)

[MS71] P. McMullen and G. C. Shephard. *Convex Polytopes and the Upper Bound Conjecture*, volume 3 of *Lecture Notes.* Cambridge University Press, Cambridge, England, 1971. (refs: pp. 85, 114)

[MS86] V. D. Milman and G. Schechtman. *Asymptotic Theory of Finite Dimensional Normed Spaces.* Lecture Notes in Math. 1200. Springer-Verlag, Berlin etc., 1986. (refs: pp. 306, 341, 342, 346, 352, 359, 367)

[MS00] W. Morris and V. Soltan. The Erdős–Szekeres problem on points in convex position—a survey. *Bull. Amer. Math. Soc., New Ser.*, 37(4):437–458, 2000. (ref: p. 32)

[MSW96] J. Matoušek, M. Sharir, and E. Welzl. A subexponential bound for linear programming. *Algoritmica*, 16:498–516, 1996. (refs: pp. 94, 333)

[MT03] A. Marcus and G. Tardos. Excluded permutation matrices and the Stanley–Wilf conjecture. Manuscript, Rényi Institute, Budapest, 2003. (ref: p. 177)

[Mul93a] K. Mulmuley. *Computational Geometry: An Introduction Through Randomized Algorithms.* Prentice Hall, Englewood Cliffs, NJ, 1993. (refs: pp. 162, 163)

[Mul93b] K. Mulmuley. Dehn–Sommerville relations, upper bound theorem, and levels in arrangements. In *Proc. 9th Annu. ACM Sympos. Comput. Geom.*, pages 240–246, 1993. (ref: p. 284)

[Nar00] W. Narkiewicz. *The Development of Prime Number Theory.* Springer, Berlin etc., 2000. (ref: p. 54)

[NPPS01] E. Nevo, J. Pach, R. Pinchasi, and M. Sharir. Lenses in arrangements of pseudocircles and their applications. *Discrete Comput. Geom.*, 2001. In press. (ref: p. 275)

[NR03] I. Newman and Yu. Rabinovich. A lower bound on the distortion of embedding planar metrics into Euclidean space. *Discr. Comput. Geom.*, 29:77–81, 2003. (ref: p. 379)

[NRS03] B. Nagle, V. Rödl, and M. Schacht. The counting lemma for regular k-uniform hypergraphs. Manuscript, Emory University, Atlanta, 2003. (ref: p. 229)

[NRS04] A. Naor, Y. Rabani, and A. Sinclair. Quasisymmetric embeddings, the observable diameter, and expansion properties of graphs. *J. Funct. Analysis*, 2004. In press. (ref: p. 420)

[Nyk00] H. Nyklová. Almost empty convex polygons. KAM-DIMATIA Series 498-2000 (technical report), Charles University, Prague, 2000. (ref: p. 39)

[OBS92] A. Okabe, B. Boots, and K. Sugihara. *Spatial Tessellations: Concepts and Applications of Voronoi Diagrams.* John Wiley & Sons, Chichester, UK, 1992. (ref: p. 120)

[Ole51] O. A. Oleinik. Estimates of the Betti numbers of real algebraic hypersurfaces (in Russian). *Mat. Sbornik (N. S.)*, 28(70):635–640, 1951. (ref: p. 135)

[OR05] R. Ostrovsky and Y. Rabani. Low distortion embeddings for edit distance. In *Proc. 37th ACM Symposium on Theory of Computing*, 2005. (ref: p. 397)

[OS94] S. Onn and B. Sturmfels. A quantitative Steinitz' theorem. *Beiträge zur Algebra und Geometrie / Contributions to Algebra and Geometry*, 35:125–129, 1994. (ref: p. 94)

[OT91] P. Orlik and H. Terao. *Arrangements of Hyperplanes.* Springer-Verlag, Berlin etc., 1991. (ref: p. 129)

[ÓY85] C. Ó'Dúnlaing and C. K. Yap. A "retraction" method for planning the motion of a disk. *J. Algorithms*, 6:104–111, 1985. (ref: p. 122)

[PA95] J. Pach and P. K. Agarwal. *Combinatorial Geometry.* John Wiley & Sons, New York, NY, 1995. (refs: pp. viii, 20, 24, 44, 45, 50, 54, 56, 57, 92, 247)

[Pac98] J. Pach. A Tverberg-type result on multicolored simplices. *Comput. Geom.: Theor. Appl.*, 10:71–76, 1998. (refs: pp. 222, 228, 233)

[Pac99] J. Pach. Geometric graph theory. In J. D. Lamb et al., editors, *Surveys in Combinatorics. Proceedings of the 17th British combinatorial conference, University of Kent at Canterbury, UK, 1999*, Lond. Math. Soc. Lect. Note Ser. 267, pages 167–200. Cambridge University Press, 1999. (ref: p. 56)

[Pin02] R. Pinchasi. Gallai–Sylvester theorem for pairwise intersecting unit circles. *Discrete Comput. Geom.*, 28(4):607–624, 2002. (ref: p. 44)

[Pis89] G. Pisier. *The Volume of Convex Bodies and Banach Space Geometry.* Cambridge University Press, Cambridge, 1989. (refs: pp. 321, 341, 342, 359, 367)

[Pór03] A. Pór. A partitioned version of the Erdős–Szekeres theorem. *Discrete Comput. Geom.*, 28:625–637, 2003. (ref: p. 223)

[PP01] J. Pach and R. Pinchasi. On the number of balanced lines. *Discrete Comput. Geom.*, 25:611–628, 2001. (ref: p. 284)

[PR93] R. Pollack and M.-F. Roy. On the number of cells defined by a set of polynomials. *C. R. Acad. Sci. Paris*, 316:573–577, 1993. (ref: p. 136)

[PS89] J. Pach and M. Sharir. The upper envelope of piecewise linear functions and the boundary of a region enclosed by convex plates: combinatorial analysis. *Discrete Comput. Geom.*, 4:291–309, 1989. (ref: p. 186)

[PS92] J. Pach and M. Sharir. Repeated angles in the plane and related problems. *J. Combin. Theory Ser. A*, 59:12–22, 1992. (refs: pp. 46, 49, 50)

[PS98a] J. Pach and M. Sharir. On the number of incidences between points and curves. *Combinatorics, Probability, and Computing*, 7:121–127, 1998. (refs: pp. 46, 49, 64)

[PS98b] J. Pach and J. Solymosi. Canonical theorems for convex sets. *Discrete Comput. Geom.*, 19:427–435, 1998. (ref: p. 222)

[PS01] J. Pach and J. Solymosi. Crossing patterns of segments. *J. Combin. Theory Ser. A*, 96:316–325, 2001. (refs: pp. 225, 230)

[PSS88] R. Pollack, M. Sharir, and S. Sifrony. Separating two simple polygons by a sequence of translations. *Discrete Comput. Geom.*, 3:123–136, 1988. (ref: p. 176)

[PSS92] J. Pach, W. Steiger, and E. Szemerédi. An upper bound on the number of planar k-sets. *Discrete Comput. Geom.*, 7:109–123, 1992. (ref: p. 273)

[PSS96] J. Pach, F. Shahrokhi, and M. Szegedy. Applications of the crossing number. *Algorithmica*, 16:111–117, 1996. (ref: p. 57)

[PSS01] J. Pach, I. Safruti, and M. Sharir. The union of cubes in three dimensions. In *Proc. 17th Annu. ACM Sympos. Comput. Geom.*, pages 19–28, 2001. (ref: p. 194)

[PST00] J. Pach, J. Spencer, and G. Tóth. New bounds for crossing numbers,. *Discrete Comput. Geom.*, 24:623–644, 2000. (refs: pp. 57, 58)

[PT97] J. Pach and G. Tóth. Graphs drawn with few crossings per edge. *Combinatorica*, 17:427–439, 1997. (ref: p. 56)

[PT98] J. Pach and G. Tóth. A generalization of the Erdős–Szekeres theorem to disjoint convex sets. *Discrete Comput. Geom.*, 19(3):437–445, 1998. (ref: p. 33)

[PT00] J. Pach and G. Tóth. Which crossing number is it anyway? *J. Combin. Theory Ser. B*, 80:225–246, 2000. (ref: p. 58)

[PT03] J. Pach and G. Tóth. How many ways can one draw a graph?, 2003. Manuscript, accepted for publication in *Combinatorica*. (ref: p. 140)

[Rad21] J. Radon. Mengen konvexer Körper, die einen gemeinsamen Punkt enthalten. *Math. Ann.*, 83:113–115, 1921. (ref: p. 12)

[Rad47] R. Rado. A theorem on general measure. *J. London Math. Soc.*, 21:291–300, 1947. (ref: p. 16)

[Rao99] S. Rao. Small distortion and volume respecting embeddings for planar and Euclidean metrics. In *Proc. 15th Annual ACM Symposium on Comput. Geometry*, pages 300–306, 1999. (refs: pp. 407, 412)

[RBG01] L. Rónyai, L. Babai, and M. K. Ganapathy. On the number of zero-patterns of a sequence of polynomials. *J. Amer. Math. Soc.*, 14(3):717–735 (electronic), 2001. (ref: p. 136)

[Rea68] J. R. Reay. An extension of Radon's theorem. *Illinois J. Math*, 12:184–189, 1968. (ref: p. 206)

[RG97] J. Richter-Gebert. *Realization Spaces of Polytopes.* Lecture Notes in Mathematics 1643. Springer, Berlin, 1997. (refs: pp. 92, 94, 139)

[RG99] J. Richter-Gebert. The universality theorems for oriented matroids and polytopes. In B. Chazelle et al., editors, *Advances in Discrete and Computational Geometry*, Contemp. Math. 223, pages 269–292. Amer. Math. Soc., Providence, RI, 1999. (refs: pp. 94, 138, 139)

[Rou01a] J.-P. Roudneff. Partitions of points into simplices with k-dimensional intersection. Part I: The conic Tverberg's theorem. *European J. Combinatorics*, 22:733–743, 2001. (ref: p. 206)

[Rou01b] J.-P. Roudneff. Partitions of points into simplices with k-dimensional intersection. Part II: Proof of Reay's conjecture in dimensions 4 and 5. *European J. Combinatorics*, 22:745–765, 2001. (ref: p. 206)

[RS64] A. Rényi and R. Sulanke. Über die konvexe Hülle von n zufällig gewählten Punkten II. *Z. Wahrsch. Verw. Gebiete*, 3:138–147, 1964. (ref: p. 334)

[RS04] V. Rödl and J. Skokan. Regularity lemma for uniform hypergraphs. *Random Struc. Algo.*, 25:1–42, 2004. (ref: p. 229)

[Rud91] W. Rudin. *Functional Analysis (2nd edition).* McGraw-Hill, New York, 1991. (ref: p. 8)

[Ruz94] I. Z. Ruzsa. Generalized arithmetical progressions and sumsets. *Acta Math. Hung.*, 65(4):379–388, 1994. (ref: p. 47)

[RVW00] O. Reingold, S. P. Vadhan, and A. Wigderson. Entropy waves, the zig-zag graph product, and new constant-degree expanders and extractors. In *Proc. 41st IEEE Symposium on Foundations of Computer Science*, pages 3–13, 2000. (refs: pp. 387, 388)

[SA95] M. Sharir and P. K. Agarwal. *Davenport-Schinzel Sequences and Their Geometric Applications.* Cambridge University Press, Cambridge, 1995. (refs: pp. 168, 172, 173, 176, 182, 192)

[Sal75] G.T. Sallee. A Helly-type theorem for widths. In *Geom. Metric Lin. Spaces, Proc. Conf. East Lansing 1974*, Lect. Notes Math. 490, pages 227–232. Springer, Berlin etc., 1975. (ref: p. 13)

[Sar91] K. Sarkaria. A generalized van Kampen–Flores theorem. *Proc. Amer. Math. Soc.*, 11:559–565, 1991. (ref: p. 374)

[Sar92] K. Sarkaria. Tverberg's theorem via number fields. *Israel J. Math.*, 79:317, 1992. (ref: p. 206)

[Sau72] N. Sauer. On the density of families of sets. *Journal of Combinatorial Theory Ser. A*, 13:145–147, 1972. (ref: p. 246)

[Sch01] L. Schläfli. Theorie der vielfachen Kontinuität. *Denkschriften der Schweizerichen naturforschender Gesellschaft*, 38:1–237, 1901. Written in 1850–51. Reprinted in *Ludwig Schläfli, 1814–1895, Gesammelte mathematische Abhandlungen*, Birkhäuser, Basel 1950. (ref: p. 85)

[Sch11] P. H. Schoute. Analytic treatment of the polytopes regularly derived from the regular polytopes. *Verhandelingen der Koninglijke Akademie van Wetenschappen te Amsterdam*, 11(3), 1911. (ref: p. 85)

[Sch38] I. J. Schoenberg. Metric spaces and positive definite functions. *Trans. Amer. Math. Soc.*, 44:522–53, 1938. (refs: pp. 363, 385)

[Sch48] E. Schmidt. Die Brunn–Minkowski Ungleichung. *Math. Nachrichten*, 1:81–157, 1948. (ref: p. 342)

[Sch86] A. Schrijver. *Theory of Linear and Integer Programming.* Wiley-Interscience, New York, NY, 1986. (refs: pp. 8, 24, 25, 85)

[Sch87] C. P. Schnorr. A hierarchy of polynomial time lattice basis reduction algorithms. *Theor. Comput. Sci.*, 53:201–224, 1987. (ref: p. 25)

[Sch90] W. Schnyder. Embedding planar graphs on the grid. In *Proc. 1st ACM-SIAM Sympos. Discrete Algorithms*, pages 138–148, 1990. (ref: p. 94)

[Sch93] R. Schneider. *Convex Bodies: The Brunn–Minkowski Theory*, volume 44 of *Encyclopedia of Mathematics and Its Applications.* Cambridge University Press, Cambridge, 1993. (ref: p. 307)

[Sei91] R. Seidel. Small-dimensional linear programming and convex hulls made easy. *Discrete Comput. Geom.*, 6:423–434, 1991. (ref: p. 106)

[Sei95] R. Seidel. The upper bound theorem for polytopes: an easy proof of its asymptotic version. *Comput. Geom. Theory Appl.*, 5:115–116, 1995. (ref: p. 104)

[Sei97] R. Seidel. Convex hull computations. In J. E. Goodman and J. O'Rourke, editors, *Handbook of Discrete and Computational Geometry*, chapter 19, pages 361–376. CRC Press LLC, Boca Raton, FL, 1997. (ref: p. 105)

[Sha94] M. Sharir. Almost tight upper bounds for lower envelopes in higher dimensions. *Discrete Comput. Geom.*, 12:327–345, 1994. (ref: p. 192)

[Sha01] M. Sharir. The Clarkson–Shor technique revisited and extended. In *Proc. 17th Annu. ACM Sympos. Comput. Geom.*, pages 252–256, 2001. (refs: pp. 145, 146)

[She72] S. Shelah. A combinatorial problem, stability and order for models and theories in infinitary languages. *Pacific J. Math.*, 41:247–261, 1972. (ref: p. 246)

[Sho91] P. W. Shor. Stretchability of pseudolines is NP-hard. In P. Gritzman and B. Sturmfels, editors, *Applied Geometry and Discrete Mathematics: The Victor Klee Festschrift*, volume 4 of *DIMACS Series in Discrete Mathematics and Theoretical Computer Science*, pages 531–554. AMS Press, 1991. (ref: p. 138)

[Sib81] R. Sibson. A brief description of natural neighbour interpolation. In V. Barnet, editor, *Interpreting Multivariate Data*, pages 21–36. John Wiley & Sons, Chichester, 1981. (ref: p. 122)

[Sie89] C. L. Siegel. *Lectures on the Geometry of Numbers. Notes by B. Friedman. Rewritten by Komaravolu Chandrasekharan with the assistance of Rudolf Suter.* Springer-Verlag, Berlin etc., 1989. (ref: p. 20)

[Sol03a] J. Solymosi. Note on a generalization of Roth's theorem. Manuscript, Univ. of California at San Diego, 2003. (ref: p. 231)

[Sol03b] J. Solymosi. On a question of Erdős and Szemerédi. Manuscript, Univ. of California at San Diego, 2003. (ref: p. 51)

[SST84] J. Spencer, E. Szemerédi, and W. T. Trotter. Unit distances in the Euclidean plane. In B. Bollobás, editor, *Graph Theory and Combinatorics*, pages 293–303. Academic Press, New York, NY, 1984. (ref: p. 45)

[SST01] M. Sharir, S. Smorodinsky, and G. Tardos. An improved bound for k-sets in three dimensions. *Discrete Comput. Geom.*, 26:195–204, 2001. (refs: pp. 274, 290)

[ST74] V. N. Sudakov and B. S. Tsirel'son. Extremal properties of half-spaces for spherically invariant measures (in Russian). *Zap. Naučn. Sem. Leningrad. Otdel. Mat. Inst. Steklov. (LOMI)*, 41:14–24, 1974. Translation in *J. Soviet. Math.* 9:9–18, 1978. (ref: p. 342)

[ST83] E. Szemerédi and W. Trotter, Jr. A combinatorial distinction between Euclidean and projective planes. *European J. Combin.*, 4:385–394, 1983. (ref: p. 44)

[ST01] J. Solymosi and Cs. Tóth. Distinct distances in the plane. *Discrete Comput. Geom.*, 25:629–634, 2001. (refs: pp. 45, 61)

[Sta75] R. Stanley. The upper-bound conjecture and Cohen–Macaulay rings. *Stud. Appl. Math.*, 54:135–142, 1975. (ref: p. 104)

[Sta80] R. Stanley. The number of faces of a simplical convex polytope. *Adv. Math.*, 35:236–238, 1980. (ref: p. 105)

[Sta86] R. P. Stanley. Two poset polytopes. *Discrete Comput. Geom.*, 1:9–23, 1986. (ref: p. 315)

[Ste26] J. Steiner. Einige Gesetze über die Theilung der Ebene und des Raumes. *J. Reine Angew. Math.*, 1:349–364, 1826. (ref: p. 128)

[Ste16] E. Steinitz. Bedingt konvergente Reihen und konvexe Systeme I; II; III. *J. Reine Angew. Math*, 143; 144; 146:128–175; 1–40; 1–52, 1913; 1914; 1916. (ref: p. 8)

[Ste22] E. Steinitz. Polyeder und Raumeinteilungen. *Enzykl. Math. Wiss.*, 3:1–139, 1922. Part 3AB12. (ref: p. 92)

[Ste85] H. Steinlein. Borsuk's antipodal theorem and its generalizations and applications: a survey. In A. Granas, editor, *Méthodes topologiques en analyse nonlinéaire*, pages 166–235. Colloq. Sémin. Math. Super., Semin. Sci. OTAN (NATO Advanced Study Institute) 95, Univ. de Montréal Press, Montréal, 1985. (ref: p. 16)

[SU00] J.-R. Sack and J. Urrutia, editors. *Handbook of Computational Geometry*. North-Holland, Amsterdam, 2000. (refs: pp. viii, 163)

[SV94] O. Sýkora and I. Vrťo. On VLSI layouts of the star graph and related networks. *Integration, The VLSI Journal*, 17(1):83–93, 1994. (ref: p. 57)

[SV03] J. Solymosi and V. Vu. Near optimal bounds for the Erdős distinct distances problem in high dimension. Manuscript, Univ. of Californie at San Diego, 2003. (ref: p. 45)

[SW01] M. Sharir and E. Welzl. Balanced lines, halving triangles, and the generalized lower bound theorem. In *Proc. 17th Annu. ACM Sympos. Comput. Geom.*, pages 315–318, 2001. (refs: pp. 284, 286)

[SY93] J. R. Sangwine-Yager. Mixed volumes. In P. M. Gruber and J. M. Wills, editors, *Handbook of Convex Geometry (Vol. A)*, pages 43–71. North-Holland, Amsterdam, 1993. (refs: pp. 306, 307)

[Syl93] J. J. Sylvester. Mathematical question 11851. *Educational Times*, 59:98, 1893. (ref: p. 44)

[Sze74] E. Szemerédi. On a problem of Davenport and Schinzel. *Acta Arithmetica*, 25:213–224, 1974. (ref: p. 175)

[Sze78] E. Szemerédi. Regular partitions of graphs. In *Problèmes combinatoires et théorie des graphes, Orsay 1976, Colloq. int. CNRS No.260*, pages 399–401. CNRS, Paris, 1978. (ref: p. 228)

[Szé97] L. Székely. Crossing numbers and hard Erdős problems in discrete geometry. *Combinatorics, Probability, and Computing*, 6:353–358, 1997. (refs: pp. 44, 45, 56, 61)

[Tag96] B. Tagansky. A new technique for analyzing substructures in arrangements of piecewise linear surfaces. *Discrete Comput. Geom.*, 16:455–479, 1996. (refs: pp. 186, 187)

[Tal93] G. Talenti. The standard isoperimetric theorem. In P. M. Gruber and J. M. Wills, editors, *Handbook of Convex Geometry (Vol. A)*, pages 73–123. North-Holland, Amsterdam, 1993. (ref: p. 342)

[Tal95] M. Talagrand. Concentration of measure and isoperimetric inequalities in product spaces. *Publ. Math. I.H.E.S.*, 81:73–205, 1995. (ref: p. 342)

[Tam88] A. Tamir. Improved complexity bounds for center location problems on networks by using dynamic data structures. *SIAM J. Discr. Math.*, 1:377–396, 1988. (ref: p. 169)

[Tan84] M. R. Tanner. Explicit concentrators from generalized n-gons. *SIAM J. Alg. Discr. Methods*, 5(3):287–293, 1984. (ref: p. 387)

[Tar75] R. E. Tarjan. Efficiency of a good but not linear set union algorithm. *J. ACM*, 22:215–225, 1975. (ref: p. 175)

[Tar95] G. Tardos. Transversals of 2-intervals, a topological approach. *Combinatorica*, 15:123–134, 1995. (ref: p. 266)

[Tar01] G. Tardos. On distinct sums and distinct distances. *Adv. Math.*, to appear, 2001. (refs: pp. 45, 61, 63)

[Tho65] R. Thom. On the homology of real algebraic varieties (in French). In S.S. Cairns, editor, *Differential and Combinatorial Topology*. Princeton Univ. Press, 1965. (ref: p. 135)

[Tit59] J. Tits. Sur la trialité et certains groupes qui s'en déduisent. *Publ. Math. I. H. E. S.*, 2:13–60, 1959. (ref: p. 373)

[TJ89] N. Tomczak-Jaegermann. *Banach-Mazur Distances and Finite-Dimensional Operator Ideals.* Pitman Monographs and Surveys in Pure and Applied Mathematics 38. J. Wiley, New York, 1989. (refs: pp. 333, 359)

[Tót65] L. Fejes Tóth. *Regular Figures (in German).* Akadémiai Kiadó Budapest, 1965. (ref: p. 328)

[Tót01a] Cs. Tóth. The Szemerédi–Trotter theorem in the complex plane. *Combinatorica*, 2001. To appear. (ref: p. 44)

[Tót01b] G. Tóth. Point sets with many k-sets. *Discrete Comput. Geom.*, 26:187–194, 2001. (refs: pp. 273, 281)

[Tro92] W. T. Trotter. *Combinatorics and Partially Ordered Sets: Dimension Theory.* Johns Hopkins Series in the Mathematical Sciences. The Johns Hopkins University Press, 1992. (ref: p. 314)

[Tro95] W. T. Trotter. Partially ordered sets. In R. L. Graham, M. Grötschel, and L. Lovász, editors, *Handbook of Combinatorics*, pages 433–480. North-Holland, Amsterdam, 1995. (ref: p. 314)

[TT98] H. Tamaki and T. Tokuyama. How to cut pseudo-parabolas into segments. *Discrete Comput. Geom.*, 19:265–290, 1998. (refs: pp. 70, 274)

[Tut60] W. T. Tutte. Convex representations of graphs. *Proc. London Math. Soc.*, 10(38):304–320, 1960. (ref: p. 92)

[TV93] H. Tverberg and S. Vrečica. On generalizations of Radon's theorem and the ham sandwich theorem. *European J. Combin.*, 14:259–264, 1993. (ref: p. 206)

[TV98] G. Tóth and P. Valtr. Note on the Erdős–Szekeres theorem. *Discrete Comput. Geom.*, 19(3):457–459, 1998. (ref: p. 33)

[Tve66] H. Tverberg. A generalization of Radon's theorem. *J. London Math. Soc.*, 41:123–128, 1966. (ref: p. 205)

[Tve81] H. Tverberg. A generalization of Radon's theorem II. *Bull. Aust. Math. Soc.*, 24:321–325, 1981. (ref: p. 206)

[Urr00] J. Urrutia. Art gallery and illumination problems. In J.-R. Sack and J. Urrutia, editors, *Handbook of Computational Geometry*, pages 973–1027. North-Holland, 2000. (ref: p. 254)

[Val92a] P. Valtr. Convex independent sets and 7-holes in restricted planar point sets. *Discrete Comput. Geom.*, 7:135–152, 1992. (refs: pp. 33, 37)

[Val92b] P. Valtr. Sets in R^d with no large empty convex subsets. *Discrete Appl. Math.*, 108:115–124, 1992. (ref: p. 38)

[Val94] P. Valtr. Planar point sets with bounded ratios of distances. Doctoral Thesis, Mathematik, FU Berlin, 1994. (ref: p. 34)

[Val98] P. Valtr. Guarding galleries where no point sees a small area. *Israel J. Math*, 104:1–16, 1998. (ref: p. 254)

[Val99a] P. Valtr. Generalizations of Davenport–Schinzel sequences. In R. Graham et al., editors, *Contemporary Trends in Discrete Mathematics*, volume 49 of *DIMACS Series in Discrete Mathematics and Theoretical Computer Science*, pages 349–389. Amer. Math. Soc., Providence, RI, 1999. (refs: pp. 176, 177)

[Val99b] P. Valtr. On galleries with no bad points. *Discrete and Computational Geometry*, 21:193–200, 1999. (ref: p. 254)

[Val01] P. Valtr. A sufficient condition for the existence of large empty convex polygons. *Discrete Comput. Geom.*, 2001. To appear. (ref: p. 39)

[Val05] P. Valtr. On the empty hexagon theorem. Manuscript, Charles University, Prague, 2005. (ref: p. 38)

[VC71] V. N. Vapnik and A. Ya. Chervonenkis. On the uniform convergence of relative frequencies of events to their probabilities. *Theory Probab. Appl.*, 16:264–280, 1971. (refs: pp. 246, 247)

[Vem98] S. Vempala. Random projection: a new approach to VLSI layout. In *Proc. 39th IEEE Symposium on Foundations of Computer Science*, pages 389–395, 1998. (ref: p. 412)

[Vin39] P. Vincensini. Sur une extension d'un théorème de M. J. Radon sur les ensembles de corps convexes. *Bull. Soc. Math. France*, 67:115–119, 1939. (ref: p. 12)

[vL99] J.H. van Lint. *Introduction to coding theory. 3rd rev. and exp. ed.* Graduate Texts in Mathematics 86. Springer, Berlin, 1999. (ref: p. 397)

[Vor08] G. M. Voronoi. Nouvelles applications des paramètres continus à la théorie des formes quadratiques. deuxième Mémoire: Recherches sur les parallélloèdres primitifs. *J. Reine Angew. Math.*, 134:198–287, 1908. (ref: p. 120)

[VŽ93] A. Vućić and R. Živaljević. Note on a conjecture of Sierksma. *Discrete Comput. Geom*, 9:339–349, 1993. (ref: p. 207)

[Wag02] U. Wagner. On the number of corner cuts. *Adv. Appl. Math.*, 29(2):152–161, 2002. (ref: p. 275)

[War68] H. E. Warren. Lower bound for approximation by nonlinear manifolds. *Trans. Amer. Math. Soc.*, 133:167–178, 1968. (ref: p. 136)

[Weg75] G. Wegner. d-collapsing and nerves of families of convex sets. *Arch. Math.*, 26:317–321, 1975. (ref: p. 199)

[Wel86] E. Welzl. More on k-sets of finite sets in the plane. *Discrete Comput. Geom.*, 1:95–100, 1986. (ref: p. 274)

[Wel88] E. Welzl. Partition trees for triangle counting and other range searching problems. In *Proc. 4th Annu. ACM Sympos. Comput. Geom.*, pages 23–33, 1988. (ref: p. 246)

[Wel01] E. Welzl. Entering and leaving j-facets. *Discrete Comput. Geom.*, 25:351–364, 2001. (refs: pp. 104, 145, 284, 287)

[Wil99] A. J. Wilkie. A theorem of the complement and some new o-minimal structures. *Sel. Math., New Ser.*, 5(4):397–421, 1999. (ref: p. 254)

[Wol97] T. Wolff. A Kakeya-type problem for circles. *Amer. J. Math.*, 119(5):985–1026, 1997. (ref: p. 44)

[WS88] A. Wiernik and M. Sharir. Planar realizations of nonlinear Davenport-Schinzel sequences by segments. *Discrete Comput. Geom.*, 3:15–47, 1988. (refs: pp. 173, 176)

[WW93] W. Weil and J. A. Wieacker. Stochastic geometry. In P. M. Gruber and J. M. Wills, editors, *Handbook of Convex Geometry (Vol. B)*, pages 1391–1438. North-Holland, Amsterdam, 1993. (ref: p. 99)

[WW01] U. Wagner and E. Welzl. A continuous analogue of the upper bound theorem. *Discrete Comput. Geom.*, 26:205–219, 2001. (ref: p. 114)

[Zas75] T. Zaslavsky. *Facing up to Arrangements: Face-Count Formulas for Partitions of Space by Hyperplanes*, volume 154 of *Memoirs Amer. Math. Soc.* American Mathematical Society, Providence, RI, 1975. (ref: p. 128)

[Zie94] G. M. Ziegler. *Lectures on Polytopes*, volume 152 of *Graduate Texts in Mathematics.* Springer-Verlag, Heidelberg, 1994. Corrected and revised printing 1998. (refs: pp. viii, 78, 85, 86, 89, 90, 92, 93, 103, 105, 114, 129, 138)

[Živ97] R. T. Živaljević. Topological methods. In J. E. Goodman and J. O'Rourke, editors, *Handbook of Discrete and Computational Geometry*, chapter 11, pages 209–224. CRC Press LLC, Boca Raton, FL, 1997. (ref: p. 374)

[Živ98] R. T. Živaljević. User's guide to equivariant methods in combinatorics. II. *Publ. Inst. Math. (Beograd) (N.S.)*, 64(78):107–132, 1998. (ref: p. 207)

[ŽV90] R.T. Živaljević and S.T. Vrećica. An extension of the ham sandwich theorem. *Bull. London Math. Soc.*, 22:183–186, 1990. (ref: p. 16)

[ŽV92] Živaljević and S. Vrećica. The colored Tverberg's problem and complexes of injective functions. *J. Combin. Theory Ser. A*, 61:309–318, 1992. (ref: p. 207)